



BOSCH



ONE BATTERY FITS ALL.

Professional 18V Cordless Power Tools

Power Tools Catalogue 2026

PROFESSIONAL
18V
SYSTEM



COMBINE AS YOU NEED.



Choose a solo tool, battery and charger for any of your jobs.

WHY THIS



1 FREEDOM
Individual components to build or enlarge your toolbag.



2 PERFORMANCE
Up to **280%** more runtime*
Up to **2,400W** maximum power**



3 COMPATIBILITY
350+ TOOLS compatible with the Bosch Professional 18V battery system***

* EXBA18V-150 vs. the Professional GBA 18V 4.0Ah, internal test, blowing on min. power with GBL 18V-750, neutral airflow, without breaks

** Internal test lab data, instantaneous maximum power, fully charged new battery

*** From Bosch Professional and AMPShare Partner Brands, not all products may be available in your country




Powered by



BOSCH

MANY BRANDS. MANY TOOLS. ONE BATTERY SYSTEM.

AMPShare is the multi-brand battery system for trade and industry professionals. With just one shared battery system, you have the flexibility to switch between pro tools and brands – without thinking twice. With over 80 million batteries sold and a fast-growing alliance, AMPShare is the 18V battery system you can build on.



OUR NEW 18V EXPERT BATTERY AND CHARGER RANGE

EXPERT

THE BEST FOR THE JOB

When you choose EXPERT, you choose the best batteries and chargers for the job.

PRO

GBA18V Conventional batteries for standard applications

GBA 18V 2.0Ah



2.0Ah

● ○ ○ ○ ○
100% in 26 Min.
350g

GBA 18V 4.0Ah



4.0Ah

● ● ○ ○ ○
100% in 25 Min.
600g

GBA 18V 5.0Ah



5.0Ah

● ● ○ ○ ○
100% in 35 Min.
620g

POWER
CHARGING¹
WEIGHT

Up to **1,000W** max. power³

MORE POWER. FASTER CHARGING.

¹Based on the Charger EXAL18V-160

²With ExtremeTemp Charging, only valid for EXPERT batteries³ Instantaneous maximum power based on internal test lab data, depending on battery status.

³Instantaneous maximum power based on internal test lab data, depending on battery status

⁴Internal test lab data based on 18V 8.0Ah power tool battery



EXPERT

EXBA18V High-performance batteries for demanding applications

EXBA18V-40



4.0Ah

●●●●○
100% in 30 Min.²
605g
High Power Tabless

EXBA18V-55



5.5Ah

●●●●○
100% in 31 Min.²
1015g
High Power

EXBA18V-80



8.0Ah

●●●●●
100% in 39 Min.²
1035g
High Power Tabless

EXBA18V-150



15.0Ah

●●●●●
100% in 60 Min.²
1520g
High Power

POWER
CHARGING¹
WEIGHT
CELL TYPE

Up to **2,000W** max. power³

Up to **2,400W** max. power³

EXAL18V Our new EXPERT ultra-fast 18V chargers

EXAL18V-160



16A



CHARGING SPEED

CHARGING MODES
STANDARD, POWER
BOOST AND LONG LIFE

PARALLEL DOUBLE
BAY CHARGING

MOBILITY AND
STORAGE SOLUTION

16A



EXAL18V2-320



**WORLD'S
FASTEST**
18V parallel double
bay charger⁴

FIND THE RECOMMENDED 18V BATTERY FOR YOUR TOOL AND TASK.

Interchangeable battery system since 2008

Bosch Professional

	PRO			EXPERT			
	GBA 18V 2Ah	GBA 18V 4Ah	GBA 18V 5Ah	EXBA 18V 4Ah	EXBA 18V 5.5Ah	EXBA 18V 8Ah	EXBA 18V 15Ah
DRILLS & IMPACT DRILLS & IMPACT WRENCHES & IMPACT DRIVERS							
	Drill Driver/Impact Drill (GSR/GSB ≤ 35 Nm Soft Torque) Right Angle Ratchet/Driver/Wrench (GRC/GRR/GRS) Drywall Screwdriver (GTB)			Drill Driver/Impact Drill (GSR/GSB > 35 Nm Soft Torque)			
				Right Angle Drill (GRD)			
	Impact Wrench (GDS < 500Nm Max. Tightening Torque)						
				Impact Wrench (GDS > 500Nm – 1500Nm Max. Tightening Torque)		Impact Wrench (GDS > 1500Nm Max. Tightening Torque)	
	Impact Driver/Wrench (GDR/GDX)						
ROTARY & DEMOLITION HAMMERS	Rotary Hammer SDS Plus (GBH 1 kg)						
	Rotary Hammer SDS Plus (GBH 2 kg)						
	Rotary Hammer SDS Plus (GBH ≥ 3 kg)						
				Rotary Hammer SDS Max (GBH)		Demolition Hammer & Breaker (GSH)	
NAILERS & STAPLERS	Nailer (GNH/GNB) Stapler (GTH)						
	SAWS	Reciprocating Saw (GSA) Band Saw (GCB) Marble Cutter (GDC)					
Circular Saw (GKS/GKM) Plunge Saw (GKT)							
Jigsaw (GST) Multi Cutter (GOP)			Mitre Saw (GCM) Table Saw (GTS) Cut and Grind (GCS) Dry Cutter (GCD)				
			Cutoff Saw (GCO)				
Threaded Rod Cutter (GGC)							
DUST EXTRACTORS	Dust extractor (GAS < 10 L)						
				Dust extractor (GAS ≥ 10 L)			
RADIOS & SPEAKERS & LIGHTS	Radio (GML/GPB) Work Light (GLI)						
	Work Light Area & Tower (GLA)						
	Work Light (GLT)						
SANDERS & PLANERS	Belt Sander (GBS) Random Orbit Sander Direct-driven (GET) Planer (GHO)						
	Random Orbit Sander (GEX) Orbit Sander (GSS)						
				Orbit Sander (GSS18V-18)			
	Drywall Sander (GTR)						

6

	PRO			EXPERT			
	GBA 18V 2Ah	GBA 18V 4Ah	GBA 18V 5Ah	EXBA 18V 4Ah	EXBA 18V 5.5Ah	EXBA 18V 8Ah	EXBA 18V 15Ah
							
HYDRAULIC TOOLS	Hydraulic Tool (GPH/GLH/GKH) Press Tool (GPT)						
ROUTERS	Router Laminate/Palm (GLF/GKF)						
				Router Mid-Full Size (GOF)			
	Drywall Router (GCU)						
ANGLE GRINDERS & METALWORKING	Small Angle Grinder (GWS/GWX)						
				Large Angle Grinder (GWS/GWX)			
	Metalworking (GSC/GRG/GNA)						
	Straight Grinder (GGS)						
BLOWERS & FANS	Compact blower (GBL)						
	Leafblower (GBL)						
	Fan (GVF)						
GARDEN TOOLS	Brushcutter (GFR) Grass Trimmer (GRT)						
				Brushcutter Bike Handle (GFR BH)			
				Lawnmower (GRA)			
	Hedge Cutter & Pole Hedge Cutter (GHE TP/FP)						
	Chainsaw (GKE < 25 cm)						
				Chainsaw (GKE ≥ 25 cm) Pole Chainsaw (GKE TP)			
	Pruner (GGP)						
MEASURING TOOLS	Line Laser (GLL)						
STIRRERS				Stirrer (GRW)			
HEAT GUNS	Heat Gun (GHG)						
POLISHERS	Polisher (GPO/GPX)						
CONCRETE VIBRATORS				Pencil Vibrator (GVC)			
				HF Concrete Vibrator (GPU)			
PUMPS & COMPRESSORS	Transfer Pump (GTP) Air Compressor (GKO)						
BISCUIT JOINERS	Biscuit Joiner (GFF)						
DIAMOND TECHNOLOGY				Wall Chaser (GNF)			
				Concrete Grinder (GBR)			
CAULK GUNS	Caulk Gun (GCG)						
GREASE GUNS	Grease Gun (GFP)						
FISH TAPES	Fish Tape (GFT)						
SOLDERING TOOLS	Soldering Tool (GLK)						
PIPE CUTTERS	Pipe cutter (GPC)						
REBAR CUTTERS				Rebar Cutter (GBC)			



PRO GSR 18V-52 06019S00L2

Compact drill driver designed for efficient screwdriving



RSP: RM679

ROBUST AND LONG-LASTING BUILD
Thanks to the metal chuck and brushless motor.

POWERFUL TORQUE OUTPUT
25 Nm soft and 52 Nm hard torque.

ENHANCED WORK AREA VISIBILITY
LED light brightens dark spaces.

COMPACT FOR TIGHT SPACES
146 mm head fits narrow areas easily.

GSR 18V-52	Unit	Specifications
Battery Voltage	V	18
No-load Speed	rpm	500/1,900
Torque (soft/hard/max.)	Nm	25/52/70
Chuck Capacity, min./max.	mm	1.5/13
Torque Settings		20
Weight excl. Battery	kg	0.92



PRO GSR 18V-65

06019N30L0
Cordless Drill / Driver

HEAVY DUTY



RSP: RM1,009

Capacity	
Battery Voltage	18 V
No-load Speed	0-550/2,100 rpm
Torque (soft/hard/max.)	31/63/76 Nm
Chuck Capacity, min./max.	1.5/13 mm
Max. Screw Ø	10 mm
Max. Drilling Ø Wood	35 mm
Weight excl. Battery	1.06 kg

PRO GSR 18V-90 C Solo**

06019K60L0
Cordless Drill / Driver

HEAVY DUTY




RSP: RM799

Capacity	
Battery Voltage	18 V
No-load Speed	0-630/2,100 rpm
Torque (soft/hard)	36/64 Nm
Chuck Capacity, min./max.	1.5/13 mm
Max. Screw Ø	12 mm
Max. Drilling Ø Wood	68 mm
Weight excl. Battery	1.1 kg

PRO GSR 18V-90 FC Solo**

06019K62L0
Cordless Drill / Driver

HEAVY DUTY



RSP: RM1,889


Capacity	
Battery Voltage	18 V
No-load Speed	0-630/2,100 rpm
Torque (soft/hard)	36/64 Nm
Chuck Capacity, min./max.	1.5/13 mm
Max. Screw Ø	12 mm
Max. Drilling Ø Wood	68 mm
Weight excl. Battery	0.92 kg

PRO GSR 18V-150 C Solo**

06019J50L0
Cordless Drill / Driver

HEAVY DUTY

BITURBO
BRUSHLESS




RSP: RM1,269

Capacity	
Battery Voltage	18 V
No-load Speed	0-550/2,200 rpm
Torque (soft/hard/max.)	84/100/150 Nm
Chuck Capacity, min./max.	1.5/13 mm
Max. Screw Ø	13 mm
Max. Drilling Ø Wood	150 mm
Weight excl. Battery	2.1 kg

PRO GSB 183-LI

06019K91L1
Cordless Drill / Driver



RSP: RM539

Capacity	
Battery Voltage	18 V
No-load Speed	0-440/1,650 rpm
Torque (soft/hard/max.)	21/56/60 Nm
Chuck Capacity, min./max.	1.5/13 mm
Max. Drilling Ø	Wood/Metal/Masonry 35/10/10 mm
Weight excl. Battery	1.2 kg

PRO GSB 18V-65

06019N31L0
Cordless Drill / Driver

HEAVY DUTY



RSP: RM1,069

Capacity	
Battery Voltage	18 V
No-load Speed	0-550/2,100 rpm
Torque (soft/hard/max.)	31/63/76 Nm
Max. Impact Rate	27,000 bpm
Chuck Capacity, min./max.	1.5/13 mm
Max. Drilling Ø	Wood/Metal/Masonry 51/13/13 mm
Weight excl. Battery	1.12 kg



PRO GSB18V-52 06019S01L6

Durable and robust drill driver with metal chuck



RSP: RM759

DURABLE AND ROBUST BUILD

With metal chuck and brushless motor.

STRONG TORQUE PERFORMANCE

Delivers 25/52 Nm soft/hard torque.

BRIGHTER WORK AREA

Integrated LED light for better visibility.

COMPACT FOR TIGHT SPACES

161 mm head fits narrow areas easily.

GSB 18V-52	Unit	Specifications
Battery Voltage	V	18
No-load Speed	rpm	500/1,900
Torque (soft/hard/max.)	Nm	25/52/70
Max. Impact Rate	bpm	27,000
Chuck Capacity, min./max.	mm	1.5/13
Torque Settings		20
Weight excl. Battery	kg	0.92



PRO GSB 18V-90 C Solo**

06019K61L0
Cordless Drill / Driver

HEAVY DUTY



RSP: RM849

Capacity

Battery Voltage	18 V
No-load Speed	0-630/2,100 rpm
Torque (soft/hard)	36/64 Nm
Chuck Capacity, min./max.	1.5/13 mm
Max. Drilling Ø Wood	68 mm
Weight excl. Battery	1.2 kg

PRO GSB 18V-150 C Solo**

06019J51L0
Cordless Drill / Driver

HEAVY DUTY

BITURBO
BRUSHLESS



RSP: RM1,319

Capacity

Battery Voltage	18 V
No-load Speed	0-550/2,200 rpm
Torque (soft/hard/max.)	84/100/150 Nm
Max. Impact Rate	30,000 bpm
Chuck Capacity, min./max.	1.5/13 mm
Max. Drilling Ø Wood	150 mm
Weight excl. Battery	2.2 kg



PRO GBH 18V-18X Solo**

06119271J0
Cordless Rotary Hammer



RSP: RM859

Capacity

Battery Voltage	18 V
Rated Speed	0-900 rpm
Impact Rate at Rated Speed	0-5,000 bpm
Impact Energy	1.5 J
Max. Drilling Ø Concrete	18 mm
Tool Holder	ONE CHUCK / SDS PLUS
Weight excl. Battery	1.8 kg

PRO GBH 18V-18 Solo**

06119270J0
Cordless Rotary Hammer



RSP: RM709

Capacity

Battery Voltage	18 V
Rated Speed	0-900 rpm
Impact Rate at Rated Speed	0-5,000 bpm
Impact energy	1.5 J
Max. Drilling Ø Concrete	18 mm
Tool Holder	SDS PLUS
Weight excl. Battery	1.6 kg

PRO GBH 185-LI

06119240L1
Cordless Rotary Hammer



RSP: RM1,689

Capacity

Battery Voltage	18 V
Rated Speed	0-1,050 rpm
Impact Rate at Rated Speed	0-4,675 bpm
Impact energy	1.9 J
Max. drilling Ø Concrete	22 mm
Tool Holder	SDS PLUS
Weight excl. Battery	2.3 kg

PRO GBH 18V-22X

06119241L0

Cordless Rotary Hammer

**RSP: RM1,969****Capacity**

Battery Voltage	18 V
Rated Speed	0–1,050 rpm
Impact Rate at Rated Speed	0–4,675 bpm
Impact Energy	2 J
Max. Drilling Ø Concrete	22 mm
Tool Holder	ONE CHUCK / SDS PLUS
Weight excl. Battery	2.6 kg

PRO GBH 187-LI

06119231L0

Cordless Rotary Hammer


**RSP: RM2,279****Capacity**

Battery Voltage	18 V
Rated Speed	0–980 rpm
Impact Rate at Rated Speed	0–4,350 bpm
Impact Energy	2.4 J
Max. drilling Ø Concrete	24 mm
Tool Holder	ONE CHUCK / SDS PLUS
Weight excl. Battery	3 kg

PRO GBH 18V-26 Solo**

0611909000

Cordless Rotary Hammer

**RSP: RM1,369****Capacity**

Battery Voltage	18 V
Rated Speed	0–980 rpm
Impact Rate at Rated Speed	0–4,350 bpm
Impact Energy	2.6 J
Max. Drilling Ø Concrete	26 mm
Tool Holder	SDS PLUS
Weight excl. Battery	2.9 kg

PRO GBH 18V-28 CF Solo**

0611921081

Cordless Rotary Hammer

**RSP: RM2,299****Capacity**

Battery Voltage	18 V
Rated Speed	0–950 rpm
Impact Rate at Rated Speed	4,220 bpm
Impact Energy	3.3 J
Max. Drilling Ø Concrete	28 mm
Tool Holder	SDS PLUS
Weight excl. Battery	3.4 kg

PRO GBH 18V-34 CF Solo**

0611914082

Cordless Rotary Hammer

**RSP: RM3,479****Capacity**

Battery Voltage	18 V
Rated Speed	0–500 rpm
Impact Rate at Rated Speed	0–2,900 bpm
Impact Energy	5.8 J
Max. Drilling Ø Concrete	32 mm
Tool Holder	SDS PLUS
Weight excl. Battery	5 kg

**PRO GBH 18V-36 C Solo****

0611915082

Cordless Rotary Hammer

**RSP: RM3,699****Capacity**

Battery Voltage	18 V
Rated Speed	0–500 rpm
Impact Rate at Rated Speed	0–2,900 bpm
Impact Energy	7 J
Max. Drilling Ø Concrete	35 mm
Tool Holder	SDS MAX
Weight excl. Battery	5.3 kg

PRO GBH 18V-40 C Solo**

0611917080

Cordless Rotary Hammer

**RSP: RM4,989****Capacity**

Battery Voltage	18 V
Rated Speed	0–360 rpm
Impact Rate at Rated Speed	0–3,130 bpm
Impact Energy	9 J
Max. Drilling Ø Concrete	40 mm
Tool Holder	SDS MAX
Weight excl. Battery	7 kg

PRO GBH 18V-45 C Solo**

0611913080

Cordless Rotary Hammer

**RSP: RM5,479****Capacity**

Battery Voltage	18 V
Rated Speed	0–305 rpm
Impact Rate at Rated Speed	0–2,760 bpm
Impact Energy	12.5 J
Max. Drilling Ø Concrete	45 mm
Tool Holder	SDS MAX
Weight excl. Battery	8 kg



PRO GRD 18V-127 Solo** 06019N5080

Powerful performance with fast drilling and best tool control

HEAVY DUTY



0-550/
1800
min⁻¹/rpm



RSP: RM2,059

BEST TOOL CONTROL

Advanced KickBack Control and ergonomic handle design.

OPTIMIZED FOR TIGHT SPACES

Lightweight design; compact tool head with 43 mm corner distance ideal for drilling 2x4" stud.

STRONG PERFORMANCE AND WORK PROGRESS

2 speed settings and powerful brushless.

STRONG PERFORMANCE

Powerful brushless motor that delivers up to 70 Nm soft torque.

PERFECT HANDLING AND CONVENIENT HANGING

Light weight high torque drill for easy handling and convenient hook for hanging on ladder or stud.

BRIGHT, VERSATILE WORK LIGHT

LED lights up work area for long auger bits and large hole saws.



GRD 18V-127	Unit	Specifications
Battery Voltage	V	18
No-load Speed	rpm	550/1,800
Torque (Soft/Hard)	Nm	70/100
Max. Drilling Ø in Wood	mm	127
Chuck Type		Keyed chuck
Weight excl. Battery	kg	3.1

PRO GWS 18V-8 (BRUSHLESS)

06019N90L0

Cordless Angle Grinder



RSP: RM1,429

Capacity

Battery Voltage	18 V
No-load Speed	11,000 rpm
Disc Ø	100 mm
Bore Size Ø	16 mm
Spindle Thread	M10
Weight excl. Battery	1.5 kg



PRO GWS 18V-11 S

06019N40L0

Cordless Angle Grinder

HEAVY DUTY



RSP: RM1,809

Capacity

Battery Voltage	18 V
No-load Speed	3,000-9,000 rpm
Disc Ø	100 mm
Bore Size Ø	16 mm
Spindle Thread	M10
Weight excl. Battery	1.5 kg



PRO GWS 18V-11 PS Solo**

06019N43K2

Cordless Angle Grinder

HEAVY DUTY



NEW!

RSP: RM919

Capacity

Battery Voltage	18 V
No-load Speed	3,000-9,000 rpm
Disc Ø	100 mm
Bore Size Ø	22.23 mm
Spindle Thread	M10
Weight excl. Battery	1.81 kg



PRO GWS 18V-15 S Solo**

06019M60K0
Cordless Angle Grinder

HEAVY DUTY**RSP: RM1,179****Capacity**

Battery Voltage	18 V
No-load Speed	3,400–11,000 rpm
Disc Ø	100 mm
Bore Size Ø	15 mm
Spindle Thread	M10
Weight excl. Battery	1.9 kg

PRO GWS 18V-15 SC (125mm) Solo**

06019H6100
Cordless Angle Grinder

HEAVY DUTY**BITURBO**
BRUSHLESS**RSP: RM1,439****Capacity**

Battery Voltage	18 V
No-load Speed	3,400–9,800 rpm
Disc Ø	125 mm
Bore Size Ø	22.23 mm
Spindle Thread	M14
Weight excl. Battery	2.3 kg

PRO GWS 18V-15 PSC (125mm) Solo**

06019H6B00
Cordless Angle Grinder

HEAVY DUTY**BITURBO**
BRUSHLESS**RSP: RM1,789****Capacity**

Battery Voltage	18 V
No-load Speed	3,400–9,800 rpm
Disc Ø	125 mm
Bore Size Ø	22.2 mm
Spindle Thread	M14
Weight excl. Battery	2.3 kg

PRO GWS 18V-180 PC Solo**

06019H6E01
Cordless Angle Grinder

HEAVY DUTY**RSP: RM1,789****Capacity**

Battery Voltage	18 V
No-load Speed	6,100 rpm
Disc Ø	180 mm
Bore Size Ø	22.23 mm
Spindle Thread	M14
Switch	PROtection Switch
Weight excl. Battery	2.8 kg

PRO GWS 18V-180 P Solo**

06019H6L01
Cordless Angle Grinder

HEAVY DUTY**RSP: RM1,789****Capacity**

Battery Voltage	18 V
No-load Speed	6,100 rpm
Disc Ø	180 mm
Bore Size Ø	22.23 mm
Spindle Thread	M14
Switch	PROtection Switch
Weight excl. Battery	2.8 kg

**PRO GDR 18V-215 Solo****


06019N20L0
Cordless Impact Driver

**RSP: RM409****Capacity**

Battery Voltage	18 V
No-load Speed	0–2,100 rpm
Impact Rate	0–3,800 bpm
Max. Torque	215 Nm
Tool Holder	1/4" HEX
Weight excl. Battery	1 kg

PRO GDR 18V-220 C


06019L60L2
Cordless Impact Driver

HEAVY DUTY**RSP: RM1,759****Capacity**

Battery Voltage	18 V
No-load Speed	0–800 rpm
Impact Rate	4,000 bpm
Max. Torque	220 Nm
Tool Holder	1/4" HEX
Weight excl. Battery	1 kg

PRO GDX 18V-285

06019N21L2
Cordless Impact Driver

**RSP: RM879****Capacity**

Battery Voltage	18 V
No-load Speed	0–2,000 rpm
Impact Rate	0–3,600 bpm
Max. Torque	285 Nm
Max. Breakaway Torque	500 Nm
Max. Nut Size	M18
Weight excl. Battery	1.1 kg





PRO GRS 18V-330 Solo** 06019R9080

Right-angle impact wrench for narrow spaces

HEAVY DUTY



RSP: RM689

HEAVY-DUTY PERFORMANCE

Powered by the strong brushless motor, delivering up to 330 Nm fastening torque and 500 Nm breakaway torque.

ACCESS PREVIOUSLY UNREACHABLE SPOTS

With an ingenious angled design and an ultra-compact head, measuring only 78 mm in length and 56 mm in width.

ILLUMINATE THE WORKING AREA

With the integrated LED light.

COMFORTABLE AND EASY TO HANDLE

The two-finger ergonomic switch enables operation in various positions and working angles.

SIMPLIFIED CONTROL

Thanks to the HMI for 3-speed selection and Auto Shut-Off/ABR mode.



GRS 18V-330 Solo**	Unit	Specifications
Battery Voltage	V	18
No-load Speed	rpm	1,100/1,600/3,000
Impact Rate	bpm	2,300/3,400/4,200
Max. Torque	Nm	330
Max. Breakaway Torque	Nm	560
Torque Settings		3
Weight excl. Battery	kg	1.5

PRO GDS 18V-350

06019M50L1
Cordless Impact Wrench



RSP: RM1,079

Capacity

Battery Voltage	18 V
No-load Speed	0-1,200 rpm
Impact Rate	3,400 bpm
Max. Breakaway Torque	560 Nm
Max. Nut Size	M18
Tool Holder	1/2" Square Drive
Weight excl. Battery	1.1 kg

PRO GDS 18V-780

06019P40L1
Cordless Impact Wrench

HEAVY DUTY



RSP: RM1,839

Capacity

Battery Voltage	18 V
No-load Speed	2,000 rpm
Impact Rate	2,400 bpm
Max. Breakaway Torque	1,000 Nm
Max. Nut Size	M24
Tool Holder	1/2" tool holder
Weight excl. Battery	2.1 kg

PRO GDS 18V-1000 Solo**

06019J83L1
Cordless Impact Wrench

HEAVY DUTY

BITURBO
BRUSHLESS



RSP: RM1,129

Capacity

Battery Voltage	18 V
No-load Speed	1,750 rpm
Impact Rate	2,600 bpm
Max. Breakaway Torque	1,600 Nm
Max. Nut Size	M24
Tool Holder	1/2" Square Drive
Weight excl. Battery	2.9 kg



**Solo – Bare tool only, batteries and charger not included. All prices are subject to change without prior notification by Bosch Power Tools. Terms & Conditions apply.

PRO GDS 18V-1050 H Solo**

06019J85L1

Cordless Impact Wrench

HEAVY DUTY **BITURBO**
BRUSHLESS**RSP: RM1,189****Capacity**

Battery Voltage	18 V
No-load Speed	1,750 rpm
Impact Rate	2,600 bpm
Max. Breakaway Torque	1700 Nm
Max. Nut Size	M24
Tool Holder	3/4" Square Drive
Weight excl. Battery	2.9 kg

PRO GDS 18V-1600 HC Solo**

06019M1080

Cordless Impact Wrench

HEAVY DUTY **BITURBO**
BRUSHLESS**RSP: RM1,899****Capacity**

Battery Voltage	18 V
No-load Speed	1,750 rpm
Impact Rate	2,350 bpm
Max. Breakaway Torque	2,200 Nm
Max. Nut Size	M33
Tool Holder	3/4" Square Drive
Weight excl. Battery	3.2 kg

PRO GBL 18V-120 Solo**

06019F51L0

Cordless Blower

HEAVY DUTY**RSP: RM399****Capacity**

Battery Voltage	18 V
No-load Speed	17,000 rpm
Max. Air Speed	270 km/h
Max. Airflow	120 m³/h
Weight excl. Battery	1.1 kg

**PRO GKS 18V-57-2 GX Solo**** 06016C10K0

Precision power circular saw

HEAVY DUTY**RSP: RM1,599****EASY TO USE**

With one hand depth adjustment and remote Lever for one hand opening of lower guard.

EASY ON YOUR BODY

With Stop Control, KickBack Control and Dust control via integrated Click & Clean adapter.

FULL COMPATIBILITY

With cross-cutting guide rail and the system.

CLEAR VISIBILITY

With the LED light on cutting line and red markings to guide along.

STRONG PERFORMANCE DUE TO

Cutting depth of up to 57 mm and allows beveled cuts up to 50°.

URNS CIRCULAR SAW INTO A MOBILE COMPACT MITER SAW

By easy connection to FSN X.

GKS 18V-57-2 GX Solo**

	Unit	Specifications
Battery Voltage	V	18
No-load Speed	rpm	5,000
Saw Blade Ø	mm	165
Saw Blade Bore Ø	mm	20
FSN Compatible		Yes
Weight excl. Battery	kg	3.4

PRO FSN X 740 1600A02V37

Guide rail

INTEGRATED RETURN MECHANISM

For repetitive cuts.

EASY SLIDE ON FOR CONNECTING SAW

Cross-cutting guide rail.

SECURE, NON-SLIP PROTECTION

Due to the robust splinter guard and adhesive coating.

CROSS CUTTING GUIDERAIL


Angle cuts for -60° and up to +60°.

EASY TO USE

Easy to adjust angle stop. Quickly finding the rest position for common angles aids in adjustments.

DIFFERENT LENGTHS

For different applications.

**RSP: RM699**



PRO GKS 18V-44 Solo**

06019M30L0
Cordless Circular Saw



RSP: RM649


Capacity

Battery Voltage	18 V
No-load Speed	5,800–6,300 rpm
Saw Blade Ø	125 mm
Saw Blade Bore Ø	20 mm
Weight excl. Battery	2.1 kg

PRO GKM 18V-50 Solo**

06016B8080
Cordless Circular Saw

HEAVY DUTY



RSP: RM1,309

Capacity

Battery Voltage	18 V
No-load Speed	4,250 rpm
Saw Blade Ø	136 mm
Saw Blade Bore Ø	20 mm
Max. Cutting Capacity Wood (90°)	0
Guide Rail Compatible	No
Weight excl. Battery	2.2 kg

PRO GKS 185-LI Solo**

06016C12L1
Cordless Circular Saw

HEAVY DUTY



RSP: RM989

Capacity

Battery Voltage	18 V
No-load Speed	5,000 rpm
Saw Blade Ø	165 mm
Saw Blade Bore Ø	20 mm
Max. Cutting Capacity Wood (90°)	57
Guide Rail Compatible	No
Weight excl. Battery	2.9 kg

PRO GKS 18V-68-2 Solo**

06016D00C0
Cordless Circular Saw

HEAVY DUTY



NEW!

RSP: RM1,749

Capacity

Battery Voltage	18 V
No-load Speed	5,225–5,775 rpm
Saw Blade Ø	184 mm
Saw Blade Bore Ø	20 mm
Weight excl. Battery	3.5 kg

PRO GKS 18V-70 L Solo**

06016B9000
Cordless Circular Saw

HEAVY DUTY

BITURBO BRUSHLESS



RSP: RM2,249

Capacity

Battery Voltage	18 V
No-load Speed	5,000 rpm
Saw Blade Ø	190 mm
Saw Blade Bore Ø	30 mm
Max. Cutting Capacity Wood (90°)	70
Guide Rail Compatible	No
Weight excl. Battery	4.1 kg

PRO GBR 18V-15 S Solo**

06017762B0
Cordless Concrete Grinder

HEAVY DUTY



NEW!

RSP: RM3,099

Capacity

Battery Voltage	18 V
No-load Speed	2,600–8,500 rpm
Speed Output No-load, Nominal Max.	8,500 rpm
Bore Size Ø	22.23 mm
Grinding Spindle Thread	M14
Weight excl. Battery	2.6 kg

PRO GCD 18V-355 Solo**

0601B59000
Cordless Cut-off Saw

HEAVY DUTY



NEW!

RSP: RM2,659


Capacity

Battery Voltage	18 V
No-load Speed	1430 m/min
Saw Blade Ø	355 mm
Cutting Capacity (Vertical)	max. 127 mm
Cutting Capacity (Horizontal)	max. 194 mm
Weight excl. Battery	19.8 kg

PRO GFP 18V-10 Solo**

06019N6000
Cordless Grease Gun

HEAVY DUTY



RSP: RM1,149


Capacity

Battery Voltage	18 V
Max. Operating Pressure	10,000 psi
Max. Out Flow Rate	300 g/min
Speed Modes	2
Pump-Mode	Yes
Weight excl. Battery	4.4 kg

PRO GHG 18V-50 Solo**

06012A6580
Cordless Heat Gun

HEAVY DUTY



RSP: RM639

Capacity

Battery Voltage	18 V
Temperature	300–500 °C
Air Flow Rate	175 l/min
Weight excl. Battery	0.59 kg

PRO GST 183-LI Solo**
06015B70L0
Cordless Jigsaw










RSP: RM539

Capacity	
Battery Voltage	18 V
No-load Stroke Rate	0–3,300 spm
Stroke Length	20 mm
Cutting Capacity in Wood	95 mm
Cutting Capacity in Aluminium	15 mm
Cutting Capacity in Steel	8 mm
Weight excl. Battery	1.6 kg

PRO GST 185-LI Solo**
06015B30L3
Cordless Jigsaw











RSP: RM829

Capacity	
Battery Voltage	18 V
No-load Stroke Rate	0–3,500 spm
Stroke Length	26 mm
Cutting Capacity in Wood	125 mm
Cutting Capacity in Aluminium	20 mm
Weight excl. Battery	2 kg

PRO GST 18V-155 BC Solo**
06015B1001
Cordless Jigsaw
















RSP: RM1,669

Capacity	
Battery Voltage	18 V
No-load Stroke Rate	0–3,800 spm
Stroke Length	26 mm
Cutting Capacity in Wood	155 mm
Cutting Capacity in Aluminium	20 mm
Weight excl. Battery	2 kg

PRO GLI 18V-800 Solo**
0601443680
Cordless Light



HEAVY DUTY




RSP: RM299

NEW!

Capacity	
Battery Voltage	18 V
Luminous Flux	800 lm
No. of Brightness Level	3
Weight excl. Battery	0.5 kg

PRO GLI 18V-1500 Solo**
06014A80L0
Cordless Light



HEAVY DUTY









RSP: RM499

NEW!

Capacity	
Battery Voltage	18 V
Luminous Flux	1,500 lm
No. of Brightness Level	2
Runtime at Max Brightness	135 min/Ah
Mounting Option	1/4" Tripod
Weight excl. Battery	1.4 kg

PRO GLI 18V-3000 Solo**
06014A81L0
Cordless Light



HEAVY DUTY











RSP: RM609

NEW!

Capacity	
Battery Voltage	18 V
Luminous Flux	3,000 lm
No. of Brightness Level	3
Runtime at Max Brightness	135 min/Ah
Mounting Option	5/8" Tripod
Weight excl. Battery	1.9 kg




**Solo – Bare tool only, batteries and charger not included. All prices are subject to change without prior notification by Bosch Power Tools. Terms & Conditions apply.

PRO GLI 18V-5000 Solo**

06019P5100
Cordless Light

HEAVY
DUTY



NEW!

RSP: RM969

Capacity

Battery Voltage	18 V
Luminous Flux	5,000 lm
No. of Brightness Level	3
Runtime at Max Brightness	25 min/Ah
Mounting Option	Hook, Magnet, Tripod
Weight excl. Battery	1.8 kg

PRO GLA 18VH-7500 Solo**

06014A5001
Cordless Light

HEAVY
DUTY



NEW!

RSP: RM1,429

Capacity

Battery Voltage	18 V
Luminous Flux	7,500 lm
No. of Brightness Level	3
Runtime at Max Brightness	12 min/Ah
Mounting Option	Hook and 5/8" Tripod
Weight excl. Battery	4.1 kg

PRO GLT 300-40 Solo**

0618800MT
Cordless Light

HEAVY
DUTY



NEW!

RSP: RM719

Capacity

Battery Voltage	18 V
Work Height (min/max)	121/300 cm
Approx. Tilting Range	0°
Folded Height	118 cm
Max. Loading Capacity	10 kg
Tripod Thread	M10
Material	Aluminium
Tripod Leg Segments	1-segment

PRO GLT 18V-5000 Solo**

06019P5000
Cordless Light

HEAVY
DUTY



NEW!

RSP: RM1,759

Capacity

Battery Voltage	18 V
Luminous Flux	5,000 lm
No. of Brightness Level	3
Runtime at Max Brightness	25 min/Ah
IP Rating	54
Weight excl. Battery	6.2 kg

PRO GCM 18V-216 D Solo**

0601B51080
Cordless Mitre Saw

HEAVY
DUTY

BITURBO
BRUSHLESS



RSP: RM2,679

Capacity

Battery Voltage	18 V
No-load Speed	5,000 rpm
Blade Size	216 mm
Saw Blade Bore Ø	25.4 mm
Mitre Setting	48° L / 48° R
Bevel Setting	47° L / 47° R
Cutting Capacity, 0°	70 x 305 mm
Weight excl. Battery	16.2 kg

PRO GCM 18V-254 D Solo**

0601B51180
Cordless Mitre Saw

HEAVY
DUTY

BITURBO
BRUSHLESS



RSP: RM3,579

Capacity

Battery Voltage	18 V
No-load Speed	4,500 rpm
Blade Size	254 mm
Saw Blade Bore Ø	25.4 mm
Mitre Setting	48° L / 48° R
Bevel Setting	47° L / 47° R
Cutting Capacity, 0°	90 x 305 mm
Weight excl. Battery	17.7 kg

PRO GCM 18V-305 GDC Solo**

0601B430K0
Cordless Mitre Saw

HEAVY
DUTY

BITURBO
BRUSHLESS



RSP: RM5,609

Capacity

Battery Voltage	18 V
No-load Speed	4,000 rpm
Blade Size	305 mm
Saw Blade Bore Ø	30 mm
Mitre Setting	52° L / 60° R
Bevel Setting	47° L / 47° R
Cutting Capacity, 0°	104 x 341 mm
Weight excl. Battery	26.6 kg



18V Cordless

12V Cordless

Battery, Charger & Accessories

L-BOXX

Corded Tools

Dust Free Solution

PRO GOP 18V-30 Solo**06018G3080
Cordless Multi-Cutter

NEW!

RSP: RM679

Capacity

Battery Voltage	18 V
No-load Rotation	10,000-18,000 opm
Oscillation Angle on Left and Right	3°
Weight excl. Battery	1 kg

PRO GOP 185-LI Solo**06018G2080
Cordless Multi-Cutter

RSP: RM959

Capacity

Battery Voltage	18 V
No-load Rotation	20,000 opm
Oscillation Angle on Left and Right	1.7°
Weight excl. Battery	1.2 kg

PRO GNH 18V-35 Solo**0601482780
Cordless Nailer

HEAVY DUTY



NEW!

RSP: RM1,619

Capacity

Battery Voltage	18 V
Magazine Capacity	110 Pcs
Nail Ø	0.6 mm
Nail Length	15-35 mm
Nail/Staple Type	Pin
Compatible Nails/Staples	Bosch Nails
Weight excl. Battery	1.7 kg

PRO GNB 18V-38 Solo**06019L7000
Cordless Nailer


HEAVY DUTY



RSP: RM5,829

Capacity

Battery Voltage	18 V
Magazine Capacity	22 Pcs
Nail Ø	2.7-3 mm
Nail Length	13-38 mm
Nail/Staple Type	Pin
Weight excl. Battery	4.1 kg


NB-19
(concrete nail, length 19mm)
1600A02F4L

RSP: RM199


NB-25
(concrete nail, length 25mm)
1600A02F4M

RSP: RM199


NB-32
(concrete nail, length 32mm)
1600A02F4N

RSP: RM219


NB-38
(concrete nail, length 38mm)
1600A02F4P

RSP: RM239


NM-13
(steel nail, length 13mm)
1600A02F4S


RSP: RM189


NM-16
(steel nail, length 16mm)
1600A02F4T

RSP: RM199


NM-19
(steel nail, length 19mm)
1600A02F4U

RSP: RM199

**PRO GHG 18V-22 Solo****06015B5080
Cordless Planer

RSP: RM889

Capacity

Battery Voltage	18 V
No-load Speed	14,000 rpm
Planing Width	82 mm
Planing Depth	0-2.6 mm
Weight excl. Battery	2.4 kg

PRO GFF 18V-22 Solo**0601620100
Cordless Plate Jointer

HEAVY DUTY



NEW!

RSP: RM1,619

Capacity

Battery Voltage	18 V
No-load Speed	11,000 rpm
Max. Cutting Depth	22 mm
Router Bit Ø	105 mm
Router Bit Ø Bore	22 mm
Weight excl. Battery	2.6 kg

PRO GPB 18V-1 C Solo**06014A7080
Cordless Radio

NEW!

RSP: RM409

Capacity

Battery Voltage	18 V
No-load Speed	11,000 rpm
Max. Cutting Depth	22 mm
Router Bit Ø	105 mm
Router Bit Ø Bore	22 mm
Weight excl. Battery	2.6 kg



PRO GBP100 1600A036YS

Reliable carrying system for cordless concrete vibrator system

**HEAVY
DUTY**

RSP: RM549

COMFORTABLE OPERATION

Cushioned hip belt, chest belt, and shoulder straps reduce strain.

TOUGH AND DURABLE

Robust straps, buckles, and UV-resistant fabric withstand harsh site use.

ENHANCED VISIBILITY

Reflective straps enhance visibility on the jobsite.

GBP100	Unit	Specifications
Battery Voltage	V	18
Adjustment Range	cm	90–174
Weight	kg	2.1



PRO GDI50-65D

06019P9200
Concrete Vibrator System

**HEAVY
DUTY**



RSP: RM4,849

Capacity

Battery Voltage	18 V
Frequency	200 Hz
Cord Length	1 m
Vibration Frequency Nominal	11,600 vpm
Up to Centrifugal Force	3000 N
Vibrator Head Ø	50 mm
Weight excl. Battery	7.6 kg

PRO GDI38-500

06019P9400
Concrete Vibrator System

**HEAVY
DUTY**



RSP: RM3,289

Capacity

Battery Voltage	18 V
Frequency	200 Hz
Hose Length	5 m
Vibration Frequency Nominal	11,600 vpm
Up to Centrifugal Force	1800 N
Vibrator Head Ø	38 mm
Weight excl. Battery	8.6 kg

PRO GDI50-500

06019P9500
Concrete Vibrator System

**HEAVY
DUTY**

BITURBO
BRUSHLESS



RSP: RM4,399

Capacity

Battery Voltage	18 V
Frequency	200 Hz
Hose Length	5 m
Vibration Frequency Nominal	11,600 vpm
Up to Centrifugal Force	3000 N
Vibrator Head Ø	50 mm
Weight excl. Battery	12.8 kg

PRO GPU18V2-12VC Solo**

06019P9000
Power Unit

**HEAVY
DUTY**



RSP: RM1,689

Capacity

Battery Voltage	18 V
Frequency	200 Hz
Weight excl. Battery	4.9 kg



18V Cordless

12V Cordless

Battery, Charger & Accessories

L-BOX

Corded Tools

Dust Free Solution

PRO GRC 18V-6006019N80L2
Cordless Ratchet Wrench

NEW!

RSP: RM1,189

Capacity

Battery Voltage	18 V
No-load Speed	0–400 rpm
Max. Torque	60 Nm
Tool Holder	3/8" Square
Weight excl. Battery	0.9 kg

PRO GRG 18V-16 C Solo**06019K5080
Cordless Rivet Gun

HEAVY DUTY




RSP: RM3,499

Capacity

Battery Voltage	18 V
Pull Force, Max.	16000 N
Stroke Length	0–25 mm
Rivet Ø	3–6.4 mm
Weight excl. Battery	1.6 kg

PRO GGC 18V-12 Solo**06019M8080
Cordless Rod Cutter

HEAVY DUTY



NEW!

RSP: RM2,709

Capacity

Battery Voltage	18 V
Cutting Capacities Steel	M6 - M12
Cutting capacities Stainless Steel	M6 - M10
Closest Cut-off	37 mm
Weight excl. Battery	2.1 kg

PRO GLF 18V-8 Solo**06016C60L0
Cordless Router


RSP: RM589

Capacity

Battery Voltage	18 V
No-load Speed	10,000–30,000 rpm
Compatible Collet Ø	6 mm, 1/4", 8 mm
Weight excl. Battery	1.1 kg

PRO GBS 18V-75 Solo**06012C2080
Cordless Belt Sander

HEAVY DUTY



NEW!


RSP: RM1,129

Capacity

Battery Voltage	18 V
No-load Belt Speed	200–320 rpm
Sanding Belt, Length	533 mm
Sanding Belt, Width	75 mm
Sanding Surface, Width	75 mm
Weight	2.7 kg

PRO GSS 18 V-LI / GSS 18V-10 Solo**06019D02L0
Cordless Orbital Sander

HEAVY DUTY




RSP: RM419

Capacity

Battery Voltage	18 V
Orbit Ø	1.6 mm
No-load Orbital Stroke Rate	22,000 opm
Weight	1 kg

PRO GSS 18V-13 Solo**06019L0100
Cordless Orbital Sander

HEAVY DUTY




RSP: RM829

Capacity

Battery Voltage	18 V
No-load Speed	6,000–10,000 rpm
No-load Orbital Stroke Rate	12,000–20,000 opm
Orbit Ø	1.6 mm
Weight excl. Battery	1.1 kg

PRO GSS 18V-18 Solo**06019R70L0
Cordless Orbital Sander

HEAVY DUTY



NEW!

RSP: RM929

Capacity

Battery Voltage	18 V
No-load Speed	5,000–10,000 rpm
No-load Orbital Stroke Rate	10,000–20,000 opm
Orbit Ø	2 mm
Weight excl. Battery	1.2 kg

PRO GEX 185-LI Solo**06013A5080
Cordless Random Orbital Sander

RSP: RM569

Capacity

Battery Voltage	18 V
No-load Speed	6,000–10,000 rpm
No-load Orbital Stroke Rate	12,000–20,000 opm
Orbit Ø	2.5 mm
Sanding Pad Ø	125 mm
Eccentricity	1.25 mm
Weight	0.93 kg



**Solo – Bare tool only, batteries and charger not included. All prices are subject to change without prior notification by Bosch Power Tools. Terms & Conditions apply.



PRO GSH 18V-5 Solo** 0611918280

Cordless Demolition Hammer with SDS max

HEAVY DUTY



RSP: RM4,069



CORDLESS FREEDOM

With corded performance of 8.5 J thanks to the Brushless technology.

EFFICIENT POWER-TO-WEIGHT RATIO

Due to lightweight and compact design, highly optimised drivetrain and powerful impact mechanism.

OPTIMAL TOOL CONTROL

With soft start / Adaptive Speed Control (ASC), and lock-on button for continuous chiseling.

GSH 18V-5 Solo**

Unit

Specifications

Battery Voltage	V	18
Impact Energy	J	8.5
Impact Rate at Rated Speed	bpm	3,050
Tool Holder		SDS max
Weight excl. Battery	kg	5.3

PRO GEX 18V-125 Solo**

0601372280

Cordless Random Orbital Sander

HEAVY DUTY



NEW!

RSP: RM729

Capacity

Battery Voltage	18 V
No-load Speed	6,000–10,000 rpm
No-load Orbital Stroke Rate	12,000–20,000 opm
Orbit Ø	2.5 mm
Sanding Pad Ø	125 mm
Eccentricity	1.25 mm
Weight excl. Battery	1.1 kg

PRO GSA 18V-24 Solo**

06016A51L0

Cordless Reciprocating Saw

HEAVY DUTY



NEW!

RSP: RM819

Capacity


Battery Voltage	18 V
No-load Stroke Rate	0–3,100 spm
Stroke Length	24 mm
Cutting Depth in Wood	230 mm
Weight excl. Battery	1.7 kg

PRO GSA 185-LI Solo**

06016C00L1

Cordless Reciprocating Saw

HEAVY DUTY



RSP: RM1,039

Capacity

Battery Voltage	18 V
No-load Stroke Rate	2,900 spm
Stroke Length	28 mm
Cutting Depth in Wood	230 mm
Cutting Depth in Metal Profiles and Metal Pipes	150 mm
Weight excl. Battery	3.2 kg

PRO GSA 18V-280 Solo**

06016D10L0

Cordless Reciprocating Saw

HEAVY DUTY



NEW!

RSP: RM709

Capacity

Battery Voltage	18 V
No-load Speed	0–3,350 spm
Stroke Length	28 mm
Cutting Depth in Wood	250 mm
Cutting Depth in Metal Profiles and Metal Pipes	150 mm
Weight excl. Battery	2.5 kg

PRO GSA 18V-32 Solo**

06016A8108

Cordless Reciprocating Saw

HEAVY DUTY



RSP: RM1,809

Capacity


Battery Voltage	18 V
No-load Speed	10,000–30,000 rpm
Compatible Collet Ø	6 mm, 1/4", 8 mm
Weight excl. Battery	1.1 kg





PRO GTH 18V-14 Solo** 0601482880

Minimised recoil with maximum consistency



RSP: RM1,579

OPTIMAL PERFORMANCE

Uses staples of 6-14 mm length with a 10.6 mm crown width & 0° collation angle.

CONSISTENT SINKING

Achieved through quick & reliable depth adjustment, preventing ripping of insulation material.

CONSISTENT DISTANCE

Large parallel contact surface ensures accurate alignment.

REDUCES FATIGUE

Counter balance & very low recoil.

IMPROVED ACCURACY & PRECISION

Features a contact trigger for both sequential & contact actuation.

FAST WORKING PROGRESS

Enhanced by a Brushless motor for superior power to fully sink the staples.



GTH 18V-14 Solo**	Unit	Specifications
Battery Voltage	V	18
Magazine Capacity	pcs	100
Staple Length	mm	6 – 14
Staple Width	mm	10.6
Nail/Staple Type		Flat Crown Staple
Collation Angle		0°
Compatible Nails/Staples		Bosch Nails
Weight excl. Battery	kg	1.8

PRO GKT 18V-52 GC Solo**

06016B4000

Cordless Plunge Saw



RSP: RM3,549

Capacity	
Battery Voltage	18 V
No-load Speed	2,800 – 5,500 rpm
Saw Blade Ø	140 mm
Saw Blade Bore Ø	20 mm
Cutting Depth Without Guide Rail (45°/90°)	32/52 mm
Cutting depth With Guide Rail (45°/90°)	32/46 mm
Bevel Angle	-1-47°
Weight excl. Battery	4.1 kg

PRO GCB 18V-63 Solo**

06012A0400

Cordless Band Saw



RSP: RM1,259

Capacity	
Battery Voltage	18 V
No-load Speed	162 rpm
Max. Cutting Depth	63.5 mm
Saw Blade Dimensions	733 x 12.7 x 0.35 mm
Weight excl. Battery	3.3 kg

PRO GSC 18V-16 E Solo**

0601926300

Cordless Metal Shears



RSP: RM2,099


Capacity	
Battery Voltage	18 V
No-load Stroke Rate	3,200 spm
Max. Cutting Capacity in Aluminium (200 N/mm²)	2.2 mm
Max. Cutting Capacity in Steel (400 N/mm²)	1.6 mm
Max. Cutting Capacity in Steel (600 N/mm²)	1.2 mm
Max. Cutting Capacity in Steel (800 N/mm²)	0.7 mm
Weight excl. Battery	1.6 kg

PRO GTB 185 Solo**06019K70L1
Cordless Screwdriver**HEAVY DUTY****RSP: RM849****Capacity**

Battery Voltage	18 V
No-load Speed	0-4,500 rpm
Max. Torque (Soft)	32 Nm
Max. Screw Ø	6 mm
Bit Holder	1/4" HEX
Weight excl. Battery	0.95 kg

PRO GMA 551600A025GJ
Attachment of GTB 185**HEAVY DUTY****RSP: RM419****Capacity**

Max Screw Ø	5 mm
Accepted Screw Length	25 - 55 mm
Accepted Belt Width	15.7 - 16 mm
Length x Height x Width	201 x 121 x 62.5 mm
Weight excl. Battery	0.36 kg

PRO GRW 18V-120 Solo**06011C2080
Cordless Stirrer**HEAVY DUTY****RSP: RM889****Capacity**

Battery Voltage	18 V
No-load Speed	600 rpm
Max Paddle Ø	120 mm
Tool Holder	M14
Weight	2.9 kg

PRO GRW 18V-160 Solo**06011C3000
Cordless Stirrer**HEAVY DUTY****RSP: RM1,049****Capacity**

Battery Voltage	18 V
No-load Speed	530/720 rpm
Max Paddle Ø	160 mm
Tool Holder	M14
Weight	4.8 kg

PRO GGS 18V-20 Solo**06019B5401
Cordless Straight Grinder**HEAVY DUTY****RSP: RM1,349****Capacity**

Battery Voltage	18 V
No-load Speed	24,000 rpm
Tool Holder	Collet
Weight excl. Battery	1.2 kg

PRO GTS 18V-70 Solo**0601B441K0
Cordless Table Saw**HEAVY DUTY****NEW!****RSP: RM3,799****Capacity**

Battery Voltage	18 V
No-load Speed	5,500 rpm
Saw Blade Ø	216 mm
Saw Blade Bore Ø	30 mm
Incline Setting	47° L / -2° R
Cutting Height 90°	70 mm
Cutting Height 45°	49 mm
Table Size	608 x 593 x 329 mm
Weight	21.2 kg

PRO GAS 18V-1 Solo**06019C62L0
Cordless Vacuum**HEAVY DUTY****RSP: RM359****Capacity**

Battery Voltage	18 V
Container Volume, Net	0.7 l
Filter Surface Area	55 cm²
Airflow Rate (Turbine)	10 l/s
Max. Vacuum Pressure (Turbine)	60 mbar
Weight excl. Battery	1.3 kg

PRO GAS 18V-6LS Solo**06019K2180
Cordless Vacuum**HEAVY DUTY****NEW!****RSP: RM729****Capacity**

Battery Voltage	18 V
Container Volume, Net	4.5 l
Container Volume, Gross	6 l
Dust Class	L
Airflow Rate (Turbine)	36 l/s
Vacuum Pressure (Turbine)	129 mbar
Filter Cleaning System	SFC
Weight excl. Battery	1.3 kg

PRO GAS 18V-10L PREMIUM Solo**06019C63K0
Cordless Vacuum**HEAVY DUTY****RSP: RM719****Capacity**

Battery Voltage	18 V
Container Volume, Gross	10 l
Container Volume, Net	6 l
Container Volume, Net, Water	6 l
Dust Class of Wet/Dry Extractor	L
Airflow Rate (Turbine)	34 l/s
Max. Vacuum Pressure (Turbine)	115 mbar
Weight excl. Battery	4.6 kg



**Solo - Bare tool only, batteries and charger not included. All prices are subject to change without prior notification by Bosch Power Tools. Terms & Conditions apply.

PRO GSR 120-LI06019G80L0
Cordless Drill / Driver**RSP: RM299****Capacity**

Battery Voltage	12 V
No-load Speed (1st/2nd)	0-400/1,500 rpm
Torque (Soft/Hard)	14/30 Nm
Max. Drilling (Wood/Metal)	20/10 mm
Chuck Capacity	10 mm
Weight excl. Battery	0.8 kg

PRO GSR 12V-3006019G90L1
Cordless Drill / Driver**HEAVY DUTY****RSP: RM699****Capacity**

Battery Voltage	12 V
No-load Speed (1st/2nd)	0-420/1,600 rpm
Torque (Soft/Hard)	18/30 Nm
Max. Drilling (Wood/Metal)	19/10 mm
Chuck Capacity	10 mm
Weight excl. Battery	0.72 kg

PRO GSR 12V-3106019S60L0
Cordless Drill / Driver**NEW!****RSP: RM309****Capacity**


Battery Voltage	12 V
No-load Speed (1st/2nd)	0-420/1,700 rpm
Torque (Soft/Hard/Max)	18/31/50 Nm
Max. Drilling (Wood/Metal)	25/10 mm
Chuck Capacity	10 mm
Weight excl. Battery	0.74 kg

PRO GSR 12V-32 Solo**06019N7080
Cordless Drill / Driver**HEAVY DUTY****NEW!****RSP: RM429****Capacity**

Battery Voltage	12 V
No-load Speed (1st/2nd)	0-475/1,800 rpm
Torque (Soft/Hard/Max)	21/32/- Nm
Chuck Capacity (Min/Max)	0.8/10 mm
Weight excl. Battery	0.7 kg

PRO GSB 120-LI06019G81L0
Cordless Drill / Driver**RSP: RM349****Capacity**


Battery Voltage	12 V
No-load Speed (1st/2nd)	0-400/1,500 rpm
Torque (Soft/Hard)	14/30 Nm
Max. Drilling (Wood/Metal/Masonry)	20/10/8 mm
Chuck Capacity	10 mm
Weight excl. Battery	

PRO GSB 12V-3006019G91L1
Cordless Impact Drill**HEAVY DUTY****RSP: RM759****Capacity**

Battery Voltage	12 V
No-load Speed (1st/2nd)	0-420/1,600 rpm
Torque (Soft/Hard)	18/30 Nm
Max. Drilling (Wood/Metal/Masonry)	20/10/8 mm
Chuck Capacity	10 mm
Weight excl. Battery	0.82 kg

**PRO GSB 12V-31**06019S61L0
Cordless Impact Drill**NEW!****RSP: RM359****Capacity**

Battery Voltage	12 V
No-load Speed (1st/2nd)	0-420/1,700 rpm
Torque (Soft/Hard/Max)	18/31/50 Nm
Max. Drilling (Wood/Metal/Masonry)	25/10/10 mm
Chuck Capacity	10 mm
Weight excl. Battery	0.74 kg

PRO GWS 12V-76 Solo**06019F2000
Cordless Angle Grinder**HEAVY DUTY****RSP: RM579****Capacity**

Battery Voltage	12 V
No-load Speed	19,500 rpm
Disc Diameter	76 mm
Bore Size, Ø	10 mm
Spindle Thread	M5
Weight excl. Battery	0.5 kg


PRO GDR 120-LI06019F00L6
Cordless Impact Driver**RSP: RM539****Capacity**

Battery Voltage	12 V
No-load Speed	1,300/2,600 rpm
Impact Rate	0-3,200 bpm
Max. Torque	100 Nm
Max. Screw Ø	8 mm
Bit Holder	1/4" Hex
Weight excl. Battery	1.1 kg

PRO GDR 12 V-EC

06019E00L2
Cordless Impact Driver

HEAVY
DUTY



RSP: RM899

Capacity

Battery Voltage	12 V
No-load Speed	0–3,100 bpm
Impact Rate	0–3,100 bpm
Max. Torque	110 Nm
Bit Holder	1/4" Hex
Weight excl. Battery	0.95 kg

PRO GKS 12 V-LI Solo**

06016A10L2
Cordless Circular Saw

HEAVY
DUTY



RSP: RM609

Capacity

Battery Voltage	12 V
No-load Speed	1,400 rpm
Saw Blade Ø	85 mm
Saw Blade Bore Ø	15 mm
Max. Cutting Capacity (Wood 90°)	26.5 mm
Max Bevel	45°
Weight excl. Battery	1.4 kg

PRO GST 12 V-LI Solo**

06015A10L1
Cordless Jigsaw

HEAVY
DUTY



RSP: RM559


Capacity

Battery Voltage	12 V
No-load Stroke Rate	1,500–2,800 spm
Stroke Length	18 mm
Cutting Capacity in Wood	70 mm
Cutting Capacity in Aluminium	3 mm
Cutting Capacity in Non-alloy Steel	3 mm
Weight excl. Battery	1.5 kg

PRO GLI 12V-330 Solo**

06014A0000
Cordless Light

HEAVY
DUTY



RSP: RM289

Capacity

Battery Voltage	12 V
Luminous Flux	330 lm
Runtime	180 min/Ah
Weight excl. Battery	0.3 kg

PRO GOP 12V-28 Solo**

06018B50L0
Cordless Multi-cutter

HEAVY
DUTY



RSP: RM709

Capacity

Battery Voltage	12 V
No-load Rotation	5,000–20,000 opm
Oscillation Angle on Left & Right	1.4°
Weight excl. Battery	0.81 kg

PRO GKF 12V-8 Solo**

06016B00L0
Cordless Palm Router

HEAVY
DUTY



RSP: RM879

Capacity

Battery Voltage	12 V
No-load Speed	13,000 rpm
Bit Size	6 mm/1/4"
Weight excl. Battery	1.1 kg

PRO GHO 12V-20 Solo**

06015A70K0
Cordless Planer

HEAVY
DUTY



RSP: RM1,059

Capacity

Battery Voltage	12 V
No-load Speed	14,500 rpm
Planing Width	40 mm
Planing Depth	0–1 mm
Weight excl. Battery	1.5 kg

PRO GPX 12V-125 Solo**

06019L41K0
Cordless Polisher

HEAVY
DUTY



NEW!

RSP: RM1,059

Capacity

Battery Voltage	12 V
No-load Speed	1,400–7,000 rpm
Orbital Stroke Rate	2,800–14,000 opm
Orbit Ø	8 mm
Polishing Sponge, Ø	125 mm
Weight excl. Battery	

PRO GRC 12V-60 1/2" SN (Short Neck) Solo**

06019N8580
Cordless Ratchet Wrench

HEAVY
DUTY



NEW!

RSP: RM639

Capacity

Battery Voltage	12 V
No-load Speed	0–230 rpm
Max. Torque	60 Nm
Tool Holder	1/2" Square
Weight excl. Battery	0.78 kg






PRO GSA 12 V-LI Solo**

060164L9L2

Cordless Reciprocating Saw

HEAVY DUTY



RSP: RM619

Capacity


Battery Voltage	12 V
Stroke Speed	0–3,000 spm
Stroke Lengths	14.5 mm
Cutting Depth in Wood	65 mm
Cutting Depth in Metal Profiles & Metal Pipes	50 mm

PRO GRO 12V-35 Solo**

06019C50K1

Cordless Rotary Tool

HEAVY DUTY



RSP: RM389

Capacity


Battery Voltage	12 V
No-load Speed	5,000–35,000 rpm
Collet Ø	3.2 mm
Weight	0.62 kg

PRO GEX 12V-77 Solo**

06019L2180

Cordless Random Orbital Sander

HEAVY DUTY



NEW!

RSP: RM989

Capacity

Battery Voltage	12 V
No-load Speed	3,000–8,000 rpm
No-load Orbital Stroke Rate	6,000–16,000 opm
Orbit Ø	2.5 mm
Sanding Pad Ø	77 mm
Eccentricity	1.25 mm
Weight excl. Battery	0.52 kg

PRO GEX 12V-32 Solo**

06019L2080

Cordless Random Orbital Sander

HEAVY DUTY



NEW!

RSP: RM929

Capacity

Battery Voltage	12 V
No-load Speed	3,000–8,000 rpm
No-load Orbital Stroke Rate	6,000–16,000 opm
Orbit Ø	5 mm
Sanding Pad Ø	32 mm
Eccentricity	2.5 mm
Weight excl. Battery	0.44 kg

PRO GAS 12V-LI Solo**

06019E3081

Cordless Vacuum

HEAVY DUTY



RSP: RM329

Capacity

Battery Voltage	12 V
Container Volume, Net	0.35 l
Filter Surface Area	408 cm²
Airflow Rate (Turbine)	15 l/s
Max. Vacuum Pressure (Turbine)	45 mbar
Weight excl. Battery	0.7 kg

PRO Bosch GO 3

06019H2281

Screwdriver



RSP: RM299

Capacity

Battery Voltage	3.6 V
No-load Speed	306–396 rpm
Torque, Max. (Hard/Soft)	5/2 Nm
Max. Screw Ø	5 mm
Bit Holder	1/4" Hex
Weight excl. Battery	0.32 kg

12V Li-ion Battery Pack



GBA 12V 2.0Ah O-B
1600A00F6X
RSP: RM169



GBA 12V 4.0Ah O-B
1600A00F71
RSP: RM269



GBA 12V 6.0Ah
1600A00X7H
RSP: RM349

18V Li-ion Battery Pack



GBA 18V-20 2.0Ah Gen 2
1600A037U2
RSP: RM249 **NEW!**



GBA 18V 4.0Ah M-C
1600A00163
RSP: RM439



GBA 18V 5.0Ah
1600A002U5
RSP: RM479

EXPERT Range 18V



EXPERT EXBA18V-40
1600A036Z1
RSP: RM499 **NEW!**



EXPERT EXBA18V-55
1600A036Z7
RSP: RM639 **NEW!**



EXPERT EXBA18V-80
1600A036ZH
RSP: RM999 **NEW!**



EXPERT EXBA18V-150
1600A036ZT
RSP: RM1,359 **NEW!**

Charger



EXPERT EXAL 18V-160
1600A03D3B
18V Fast Charger
RSP: RM519 **NEW!**



EXPERT EXAL 18V2-320
1600A02YG6
18V Parallel Double-Bay Fast Charger
RSP: RM1,329 **NEW!**



GAL 12V-40
1600A01B8Z
12V Charger
RSP: RM159



GAL 18V6-80
1600A01U9M
18V Charger
RSP: RM749



GAL 18V-20 Gen 2
1600A03C08
18V Charger
RSP: RM129 **NEW!**



GAL 18V-40 CV
1600A01B92
18V Charger
RSP: RM179



GAL 12V/18V-80
1600A037CJ
18V & 12V Charger
RSP: RM229 **NEW!**



GAL 1880 CV
1600A00B8H
18V Charger
RSP: RM259



GAL 18V-160
1600A02T5H
18V Charger
RSP: RM519

Battery + Charger



EXPERT 18V 4Ah Batt + Charger
1600A0373L
EXBA18V-40 x 2,
GAL12V/18V-80 Fast Charger
RSP: RM1,179 **NEW!**



EXPERT 18V 4Ah Batt + Charger
0615V0005Y
EXBA18V-40 x 3,
GAL12V/18V-80 Fast Charger
RSP: RM1,749 **NEW!**



EXPERT 18V 5.5Ah Batt + Charger
1600A0373R
EXBA18V-55,
GAL12V/18V-80 Fast Charger
RSP: RM1,439 **NEW!**



EXPERT 18V 8Ah Batt + Charger
1600A0373U
EXBA18V-80 x 2,
EXAL18V-160 charger
RSP: RM1,959 **NEW!**



18V 2Ah Batt + Charger
1600A01B91
18V - 2.0Ah x 2,
GAL 18V-40 Charger
RSP: RM629



18V 4Ah Batt + Charger
1600A019S1
18V - 4.0Ah x 2,
GAL 18V-40 Charger
RSP: RM979



18V 5Ah Batt + Charger
1600A039YN
18V - 5.0Ah,
GAL 18V-40 Charger
RSP: RM539



12V 2Ah Batt + Charger
1600A01B8Y
12V - 2.0Ah x 2,
GAL 12V-40 Charger
RSP: RM369

Carrying Case System



L-Boxx 102
1600A012FZ

RSP: RM189



L-Boxx 136
1600A012G0

RSP: RM199



L-Boxx 238
1600A012G2

RSP: RM239



I-Boxx 72
1600A001RW

RSP: RM109



I-Boxx 72 Set 10
1600A001S8

RSP: RM209



L-Boxx Mini
1600A007SF

RSP: RM39

Roller



L-Boxx Roller
1600A001S9

RSP: RM579

Bosch Mobility System



GWT 20 Professional
1600A025L6

RSP: RM399



GWT 2 Professional
1600A0265S

RSP: RM169



GWT 4 Professional
1600A0265T

RSP: RM229



Belt 108 Professional
1600A0265N

RSP: RM129



ProClick Holder Professional
1600A0265U

RSP: RM33

Bosch Tool Bag



Bosch Professional Medium Tool Bag
1600A003BJ

RSP: RM139



Bosch Professional Large Tool Bag
1600A003BK

RSP: RM159

Guide Rail



FSN VEL
1600Z00009

RSP: RM369



FSN X 740
for GKS 18V-57-2 GX
1600A02V37

RSP: RM699

NEW!

Bluetooth Module



GCY 42
1600A01L2W

RSP: RM129

Saw Stand



HEAVY DUTY

GTA 560
compatible with GTS 18V-216
0601B22700

RSP: RM269



HEAVY DUTY

GTA 2600
0601B12300

RSP: RM719



HEAVY DUTY

GTA 700
compatible to GTS 100-254
0601B22900

RSP: RM439

NEW!



**Solo – Bare tool only, batteries and charger not included. All prices are subject to change without prior notification by Bosch Power Tools. Terms & Conditions apply.



L-BOXX Contractor: LOCK. STACK. AND GO.

The modular storage system that works where you do.



VERSATILITY

With a modular build and integrated aluminum side rails, the L-BOXX Contractor works seamlessly with over 100 components in the L-BOXX system and Bosch ProClick accessories. Built tough and designed to adapt, it is a storage system that evolves with your workflow.



MOBILITY

The L-BOXX Contractor is built to stay easy on the go – no matter the terrain. Whether wheeled, carried, or stacked, it handles daily wear and rough transport with ease – so you can move fast without slowing down.



DURABILITY

Tough gear for tough jobs. Rain, drops, rough handling – bring it on. Constructed with impact-resistant polymers, this system is built to take a beating while keeping your tools secure and ready.



L-BOXX Contractor Set 3
1600A037DY

RSP: RM1,799 **NEW!**



L-BOXX Contractor 170
1600A037DZ

RSP: RM439 **NEW!**



L-BOXX Contractor 322
1600A037E0

RSP: RM539 **NEW!**



L-BOXX Contractor 476
1600A037E1

RSP: RM959 **NEW!**



L-BOXX Contractor Crate
1600A037E2

RSP: RM259 **NEW!**



L-BOXX Contractor Drawer 3
1600A037E3

RSP: RM999 **NEW!**



L-BOXX Contractor Rack 2
1600A037E4

RSP: RM939 **NEW!**



L-BOXX Contractor Backpack
1600A037E5

RSP: RM649 **NEW!**

All prices are subject to change without prior notification by Bosch Power Tools. Terms & Conditions apply.

Drill

PRO GBM 400

06011C10L0



RSP: RM209

Capacity

Rated Input Power	400 W
No-load Speed	0–2,000 rpm
Chuck Type	Keyless
Chuck Capacity	10 mm
Steel Drilling	10 mm
Aluminium Drilling	13 mm
Wood Drilling	20 mm
Weight	1.3 kg

PRO GBM 10 RE

06014735L0

HEAVY DUTY



RSP: RM359

Capacity

Rated Input Power	450 W
No-load Speed	0–2,600 rpm
Chuck Type	10 mm
Steel Drilling	10 mm
Aluminium Drilling	10 mm
Wood Drilling	25 mm
Weight	1.3 kg

PRO GBM 13 RE

06014775L0

HEAVY DUTY



RSP: RM479

Capacity

Rated Input Power	600 W
No-load Speed	0–2,600 rpm
Chuck Type	13 mm
Steel Drilling	13 mm
Aluminium Drilling	13 mm
Wood Drilling	30 mm
Weight	1.7 kg

Drill

PRO GBM 13 HRE

0601049603

HEAVY DUTY



RSP: RM1,159

Capacity

Rated Input Power	550 W
No-load Speed	0–550 rpm
Rated Speed	380 rpm
Max. Torque	60.0 Nm
Rated Torque	5.0 Nm
Steel Drilling	13 mm
Aluminium Drilling	20 mm
Wood Drilling	40 mm
Weight	2.1 kg



Core Drill

PRO GBM 50-2

06011B40L0

HEAVY DUTY



RSP: RM6,159

Capacity

Rated Input Power	1200 W
No-load Speed	50–255/100–510 rpm
Annular Cutter	Ø 50 mm
Max. Twist Drill	Ø 23 mm
Max. Thread	M16
Magnetic Force	14,000 N
Weight	14.7 kg

Impact Drill

PRO GSB 600

06011A03L0



RSP: RM209

Capacity

Rated Input Power	600 W
No-load Speed	0–3,000 rpm
Impact Rate at No-load Speed	0–48,000 bpm
In Concrete	13 mm
In Steel	10 mm
In Wood	25 mm
Weight	1.7 kg

PRO GSB 16 RE

06012281L2

HEAVY DUTY



RSP: RM499

Capacity

Rated Input Power	750 W
No-load Speed	0–3,250 rpm
Impact Rate at No-load Speed	0–48,500 bpm
In Concrete	16 mm
In Steel	12 mm
In Wood	25 mm
Weight	1.8 kg

PRO GSB 20-2 RE

06011A21L0

HEAVY DUTY



RSP: RM909

Capacity

Rated Input Power	800 W
No-load Speed	0–1,100/3,000 rpm
Impact Rate at No-load Speed	0–48,000 bpm
In Concrete	20 mm
In Steel	13 mm
In Wood	40 mm
Weight	2.6 kg

2kg Rotary Hammer

PRO GBH 220

06112A60L0




RSP: RM519

Capacity

Rated Input Power	720 W
Rated Speed	0–2000 rpm
Impact Rate at Rated Speed	0–4,800 bpm
Impact Energy	2 J
Max. Drilling Ø in Metal	13 mm
Max. Drilling Ø in Wood	30 mm
Max. Drilling Ø in Concrete	22 mm
Tool Holder	SDS PLUS
Weight	2.3 kg

PRO GBH 2-24 DRE

06112721L0




RSP: RM639

Capacity

Rated Input Power	790 W
Rated Speed	0–930 rpm
Impact Rate at Rated Speed	0–4,200 bpm
Impact Energy	2.7 J
Max. Drilling Ø in Metal	13 mm
Max. Drilling Ø in Wood	30 mm
Max. Drilling Ø in Concrete	4–24 mm
Tool Holder	SDS PLUS
Weight	2.8 kg

PRO GBH 2-26

06112534L0



RSP: RM939

Capacity

Rated Input Power	830 W
Rated Speed	0–1,300 rpm
Impact Rate at Rated Speed	0–4,350 bpm
Impact Energy	3 J
Drilling Ø Concrete, Hammer Drill Bits	4–26 mm
Tool Holder	SDS PLUS
Weight	3 kg

PRO GBH 2-26 DFR

061125476C



RSP: RM1,169

Capacity

Rated Input Power	800 W
Rated Speed	0–900 rpm
Impact Rate at Rated Speed	0–4,000 bpm
Impact Energy	3 J
Max. Drilling Ø in Metal	13 mm
Max. Drilling Ø in Wood	30 mm
Max. Drilling Ø in Concrete	4–26 mm
Tool Holder	SDS PLUS
Weight	2.9 kg

PRO GBH 2-26 F

06112544L0



RSP: RM1,189

Capacity

Rated Input Power	830 W
Rated Speed	0–1,300 rpm
Impact Rate at Rated Speed	0–4,350 bpm
Impact Energy	3 J
Drilling Ø Concrete, Hammer Drill Bits	4–26 mm
Tool Holder	SDS PLUS
Weight	3.2 kg

PRO GBH 2-28 DFV

06112672L1



RSP: RM1,339

Capacity

Rated Input Power	850 W
Rated Speed	0–1,300 rpm
Impact Rate at Rated Speed	0–5,100 bpm
Impact Energy	3.2 J
Max. Drilling Ø in Metal	13 mm
Max. Drilling Ø in Wood	30 mm
Max. Drilling Ø in Concrete	4–28 mm
Tool Holder	SDS PLUS
Weight	3.1 kg

3kg Rotary Hammer

PRO GBH 3-28 DFR

061124A0L0



RSP: RM1,929

Capacity

Rated Input Power	800 W
Rated Speed	0–900 rpm
Impact Rate at Rated Speed	0–4,000 bpm
Impact Energy	3.1–3.5 J
Max. Drilling Ø in Metal	13 mm
Max. Drilling Ø in Wood	30 mm
Max. Drilling Ø in Concrete	28 mm
Tool Holder	SDS PLUS
Weight	3.6 kg



4kg Rotary Hammer

PRO GBH 4-32 DFR

06113321L0



RSP: RM3,009

Capacity

Rated Input Power	900 W
Rated Speed	0–760 rpm
Impact Rate at Rated Speed	0–3,600 bpm
Impact Energy	4.2 J
Max. Drilling Ø in Metal	13 mm
Max. Drilling Ø in Wood	32 mm
Max. Drilling Ø in Concrete	32 mm
Tool Holder	SDS PLUS
Weight	4.7 kg

≥5kg Rotary Hammer

PRO GBH 5-40 D

06112690L0

HEAVY DUTY



RSP: RM3,329

Capacity

Rated Input Power	1,100 W
Rated Speed	170–340 rpm
Impact Rate at Rated Speed	1,500–2,900 bpm
Impact Energy	8.5 J
Max. App in Core Cutter	90 mm
Tool Holder	SDS max
Weight	6.8 kg

PRO GBH 6-42 C

06112780L0

HEAVY DUTY



RSP: RM4,079

Capacity

Rated Input Power	1,300 W
Rated Speed	0–360 rpm
Impact Rate at Rated Speed	3,050–3,150 bpm
Impact Energy	9 J
Max. Drilling Ø in Concrete	42 mm
Tool Holder	SDS max
Weight	7.7 kg

PRO GBH 8-45 D

06112651L0

HEAVY DUTY



RSP: RM4,299

Capacity

Rated Input Power	1,500 W
Rated Speed	150–305 rpm
Impact Rate at Rated Speed	1,380–2,720 bpm
Impact Energy	12.5 J
Max. Drilling Ø in Concrete	45 mm
Tool Holder	SDS max
Weight	8.2 kg

PRO GBH 8-45 DV

06112650L0

HEAVY DUTY



RSP: RM4,749

Capacity

Rated Input Power	1,500 W
Rated Speed	150–305 rpm
Impact Rate at Rated Speed	1,380–2,760 bpm
Impact Energy	12.5 J
Max. Drilling Ø in Concrete	45 mm
Tool Holder	SDS max
Weight	8.9 kg



Angle Grinder

PRO GWS 700

06013A31L0

HEAVY DUTY



RSP: RM159

Capacity

Rated Input Power	710 W
No-load Speed	12,000 rpm
Disc Ø	100 mm
Bore size, Ø	16 mm
Spindle Thread	M10
Switch	Safety Switch
Weight	1.7 kg

PRO GWS 750

06013940L0

HEAVY DUTY



RSP: RM299

Capacity

Rated Input Power	750 W
No-load Speed	11,000 rpm
Disc Ø	100 mm
Spindle Thread	M10
Weight	1.8 kg

PRO GWS 7-100 ET

06013885L0

HEAVY DUTY



RSP: RM399

Capacity

Rated Input Power	720 W
No-load Speed	2,800–9,300 rpm
Disc Ø	100 mm
Spindle Thread	M10
Weight	1.8 kg





Angle Grinder

PRO GWS 900-100

06013960L0

HEAVY DUTY



RSP: RM409

Capacity

Rated Input Power	900 W
No-load Speed	11,000 rpm
Disc Ø	100 mm
Spindle Thread	M10
Weight	1.9 kg

PRO GWS 900-100 S

06013961L0

HEAVY DUTY



RSP: RM459

Capacity

Rated Input Power	900 W
No-load Speed	2,800–11,000 rpm
Disc Ø	100 mm
Spindle Thread	M10
Weight	1.9 kg

PRO GWS 9-100 P

06013965L0

HEAVY DUTY



RSP: RM389

Capacity

Rated Input Power	900 W
No-load Speed	11,000 rpm
Disc Ø	100 mm
Spindle Thread	M10
Switch	PROtection Switch
Weight	1.9 kg

PRO GWS 12-125 S

06013A60P0

HEAVY DUTY



RSP: RM579

Capacity

Rated Input Power	1,200 W
No-load Speed	2,800–11,000 rpm
Disc Ø	125 mm
Spindle Thread	M14
Weight	2.2 kg

PRO GWS 12-125 P

06013A62L0

HEAVY DUTY



RSP: RM629

Capacity

Rated Input Power	1,200 W
No-load Speed	11,000 rpm
Disc Ø	125 mm
Spindle Thread	M14
Switch	PROtection Switch
Weight	2.4 kg

PRO GWS 17-125 S

06017D03P0

HEAVY DUTY



RSP: RM889

Capacity

Rated Input Power	1,700 W
No-load Speed	2,800–11,500 rpm
Disc Ø	125 mm
Spindle Thread	M14
Switch	Lockable Switch
Weight	2.2 kg

PRO GWS 17-150 S

06017D0600

HEAVY DUTY



RSP: RM959

Capacity

Rated Input Power	1,700 W
No-load Speed	2,400–9,700 rpm
Disc Ø	150 mm
Spindle Thread	M14
Weight	2.2 kg

PRO GWS 2200-180

06018C00L0



RSP: RM659


Capacity

Rated Input Power	2,200 W
No-load Speed	8,500 rpm
Disc Ø	180 mm
Spindle Thread	M14
Main Handle	Barrel
Weight	5.2 kg

PRO GWS 30-180 B

06018G00L0

HEAVY DUTY



RSP: RM1,659

Capacity

Rated Input Power	2,800 W
No-load Speed	8,500 rpm
Disc Ø	180 mm
Spindle Thread	M14
Main Handle	Barrel
Switch	Lockable Switch
Weight	5.7 kg

Angle Grinder

PRO GWS 2200-230

06018C10L0



RSP: RM789

Capacity

Rated Input Power	2,200 W
No-load Speed	6,500 rpm
Disc Ø	230 mm
Spindle Thread	M14
Main Handle	Barrel
Weight	5.4 kg

PRO GWS 24-230 JZ

06018C33L0

HEAVY DUTY



RSP: RM939

Capacity

Rated Input Power	2,400 W
No-load Speed	6,500 rpm
Disc Ø	230 mm
Spindle Thread	M14
Main Handle	Barrel
Weight	6 kg

PRO GWS 30-230 B

06018G10L0

HEAVY DUTY



RSP: RM1,689

Capacity

Rated Input Power	2,800 W
No-load Speed	6,500 rpm
Disc Ø	230 mm
Spindle Thread	M14
Main Handle	Barrel
Switch	Lockable Switch
Weight	5.9 kg

PRO GWX 9-125 S

06017B2000

HEAVY DUTY

XLOCK



RSP: RM815

Capacity

Rated Input Power	2,400 W
No-load Speed	6,500 rpm
Disc Ø	230 mm
Spindle Thread	M14
Main Handle	Barrel
Weight	6 kg



Bench

T 1B

0601B12310



RSP: RM779

Capacity

Length of Work Bench	2,600 mm
Height of Work Bench	947 mm
Load Bearing Capacity, Max.	160 kg
Weight With/Without Accessories*	19.60 kg

Bench Grinder

PRO GBG 35-15

060127A3L0

HEAVY DUTY



RSP: RM539

Capacity

Rated Input Power	350 W
No-load Speed	3,000 rpm
Disc Ø	150 mm
Weight	10 kg

PRO GBG 60-20

060127A4L0

HEAVY DUTY



RSP: RM639

Capacity

Rated Input Power	600 W
No-load Speed	3600 rpm
Disc Ø	200 mm
Weight	15 kg



Block Cutter

PRO GAC 250

06012B60L0



RSP: RM1,019

Capacity

Rated Input Power	1,200 W
No-load Chain Speed	max. 12 m/s
Chain Bar Length	335 mm
Max. Cutting Capacity	250 mm
Dust Extraction Interface	Yes
Weight	4.7 kg

Blower

PRO GBL 650

06019M40L0



RSP: RM249

Capacity

Rated Input Power	650 W
No-load Speed	16,000 rpm
Air Flow Rate	3.7 m³/min
Weight	1.4 kg

PRO GBL 82-270

06019804L1

HEAVY DUTY



RSP: RM389

Capacity

Rated Input Power	800 W
No-load Speed	16,000 rpm
Air Flow Rate	4.5 m³/min
Weight	2.25 kg

Circular Saw

PRO GKS 130

06016C30L0



RSP: RM399

Capacity

Rated Input Power	1,300 W
No-load Speed	5,800 rpm
Saw Blade Ø	184 mm
Saw Blade Bore Ø	20 mm
Max Bevel	45°
Guide Rail Compatible	No
Weight	4.0 kg

PRO GKS 140

06016B30L1



RSP: RM509

Capacity

Rated Input Power	1,500 W
No-load Speed	6,000 rpm
Saw Blade Ø	184 mm
Saw Blade Bore Ø	20 mm
Max Bevel	45°
Weight	3.7 kg

PRO GKS 235 TURBO

06015A20L0

HEAVY DUTY



RSP: RM999

Capacity

Rated Input Power	2,050 W
No-load Speed	5,300 rpm
Saw Blade Ø	235 mm
Saw Blade Bore Ø	25 mm
Max Cutting Capacity (45°/ 90°)	85 mm/65 mm
Weight	7.6 kg

Cut-off Saw

PRO GCO 230

0601B560L0



RSP: RM709

Capacity

Rated Input Power	2,300 W
No-load Speed	4,100 rpm
Cutting Capacity (Round Pipe)	Ø 129 mm
Cutting Capacity (Square Bar)	120 x 120 mm
Cutting Capacity (Rectangle)	100 x 200 mm
Cutting Capacity (L-profile)	137 mm
Weight	13.5 kg

PRO GCO 14-24J

0601B372L0

HEAVY DUTY



RSP: RM959

Capacity

Rated Input Power	2,400 W
No-load Speed	3,800 rpm
Saw Blade Ø	355 mm
Saw Blade Bore Ø	25.4 mm
Cutting Capacity (Square Bar)	100 x 119 mm
Cutting Capacity (Rectangle)	119 x 196 mm
Cutting Capacity (L-profile)	130 x 190 mm
Weight	18.1 kg



Demolition Hammer

PRO GSH 3 E

0611320703

HEAVY DUTY



RSP: RM1,639

Capacity

Rated Input Power	650 W
Impact Energy	2.4 J
Impact Rate at Rated Speed	0–3,500 bpm
Tool Holder	SDS PLUS
Weight	3.7 kg

PRO GSH 5

06113370L0

HEAVY DUTY



RSP: RM1,529

Capacity

Rated Input Power	1,100 W
Impact Energy	7.5 J
Impact Rate at Rated Speed	2,850 bpm
Tool Holder	SDS max
Weight	5.6 kg

PRO GSH 5 HX

06113388L1

1100 W



NEW!

RSP: RM889

Capacity

Rated Input Power	1,100 W
Impact Energy	7.8 J
Impact Rate at Rated Speed	2,610–3,190 bpm
Tool Holder	HEX 17 mm
Weight	5.7 kg

PRO GSH 5 MX

06113389L1

1100 W



NEW!

RSP: RM999

Capacity

Rated Input Power	1,100 W
Impact Energy	7.8 J
Impact Rate at Rated Speed	2,610–3,190 bpm
Tool Holder	SDS max
Weight	5.7 kg

PRO GSH 5 CE

06113210L0

HEAVY DUTY



RSP: RM2,479

Capacity

Rated Input Power	1,150 W
Impact Energy	8.3 J
Impact Rate at Rated Speed	1,300–2,900 bpm
Tool Holder	SDS max
Weight	6.2 kg

PRO GSH 7 VC

0611322070

HEAVY DUTY



RSP: RM3,809

Capacity

Rated Input Power	1,500 W
Impact Energy	13 J
Impact Rate at Rated Speed	1,390–2,700 bpm
Tool Holder	SDS max
Weight	8.3 kg

PRO GSH 9 VC

06113220L0

HEAVY DUTY



RSP: RM3,809

Capacity

Rated Input Power	1,500 W
Impact Energy	13 J
Impact Rate at Rated Speed	2,720 bpm
Tool Holder	SDS max
Weight	8.5 kg

PRO GSH 11 EV

06113160L0

HEAVY DUTY



NEW!

RSP: RM3,539

Capacity

Rated Input Power	1,500 W
Impact Energy	16.8 J
Impact Rate at Rated Speed	900–1,890 bpm
Tool Holder	SDS max
Weight	10.3 kg

PRO GSH 11 VC

06113360L0

HEAVY DUTY



RSP: RM4,799

Capacity

Rated Input Power	1,700 W
Impact Energy	23 J
Impact Rate at Rated Speed	900–1,700 bpm
Tool Holder	SDS max
Weight	11.4 kg

PRO GSH 14 C

06113440L0

HEAVY DUTY



RSP: RM5,219

Capacity

Rated Input Power	1,750 W
Impact Energy	28 J
Impact Rate at Rated Speed	1,900 bpm
Tool Holder	HEX 22 mm
Weight	14.6 kg

PRO GSH 16-30

06113351L0

HEAVY DUTY



RSP: RM6,089

Capacity

Rated Input Power	1,750 W
Impact Energy	41 J
Impact Rate at Rated Speed	1,300–1,300 bpm
Tool Holder	HEX 30 mm
Weight	13.9 kg

PRO GSH 27 VC – 2PIN plug

061130A000

HEAVY DUTY



RSP: RM11,279

Capacity

Rated Input Power	2,000 W
Impact Energy	62 J
Impact Rate at Rated Speed	920 bpm
Tool Holder	HEX 28 mm
Weight	29.1 kg

Diamond Cutter

PRO GDC 140

06013A40L0



RSP: RM329

Capacity

Rated Input Power	1,400 W
No-load Speed	13,200 rpm
Disc Ø	115 mm
Cutting Depth	35 mm
Weight	2.9 kg

Hot Air Gun

PRO GHG 18-60

06012A61L0

HEAVY DUTY



RSP: RM379


Capacity

Rated Input Power	1,800 W
Temperature	50/400/600°C
Air Flow Rate	250/350/600 l/min
Weight	0.52 kg

PRO GHG 20-63

06012A62L0

HEAVY DUTY



RSP: RM559


Capacity

Rated Input Power	2,000 W
Temperature	50–630°C
Air Flow Rate	150/300/500 l/min
Weight	0.65 kg

Jigsaw

PRO GST 680

06015B40L0



RSP: RM329

Capacity

Rated Input Power	500 W
Stroke Rate	800–3,100 spm
Stroke Length	20 mm
Bevel Angle	-45–+45°
Weight	2 kg

PRO GST 750

06015B41L0




RSP: RM379

Capacity

Rated Input Power	520 W
Stroke Length	20 mm
Bevel Angle	-45–+45°
Weight	2.37 kg

PRO GST 90 BE

060158F0L0



RSP: RM859

Capacity

Rated Input Power	650 W
Stroke Rate at No Load	500–3,100 spm
Stroke Length	26 mm
Cutting Capacity in Wood	90 mm
Cutting Capacity in Aluminium	20 mm
Cutting Capacity in Non-alloy Steel	10 mm
Weight	2.6 kg

Mitre Saw

PRO GCM 216

0601B330L0



RSP: RM999

Capacity

Rated Input Power	1,300 W
No-load Speed	4,800 rpm
Blade Size	216 mm
Mitre Setting	47° L/47° R
Bevel Setting	45° L/0° R
Cutting Capacity, 0°	60 x 123 mm
Cutting Capacity, 45° Mitre	60 x 80 mm
Cutting Capacity, 45° Bevel	43 x 123 mm
Weight	10.1 kg

PRO GCM305-216S

0601B610L0



NEW!

RSP: RM1,419


Capacity

Rated Input Power	1,300 W
No-load Speed	4,320–5,280 rpm
Blade Size	216 mm
Saw Blade Bore Ø	30 mm
Mitre Setting	48° L/48° R
Bevel Setting	47° L/2° R
Cutting Capacity, 0°	70 x 315 mm
Cutting Capacity, 45° Mitre	70 x 215 mm
Cutting Capacity, 45° Bevel	40 x 305 mm
Weight	15.3 kg

PRO GCM 8 SJL

0601B191L0

HEAVY DUTY



RSP: RM2,159

Capacity

Rated Input Power	1,600 W
No-load Speed	5,500 rpm
Blade Size	216 mm
Mitre Setting	52° L/60° R
Bevel Setting	47° L/2° R
Cutting Capacity, 0°	70 x 213 mm
Cutting Capacity, 45° Mitre	70 x 225 mm
Cutting Capacity, 45° Bevel	45 x 213 mm
Weight	17.3 kg

Mitre Saw

PRO GCM 254

0601B520L0




RSP: RM1,419

Capacity

Rated Input Power	1,750 W
No-load Speed	5,000 rpm
Blade Size	254 mm
Mitre Setting	47° L/52° R
Bevel Setting	45° L/0° R
Cutting Capacity, 0°	90 x 130 mm
Cutting Capacity, 45° Mitre	90 x 91 mm
Cutting Capacity, 45° Bevel	60 x 130 mm
Weight	11.1 kg

PRO GCM 340-305 D

0601B600L0



RSP: RM2,679

Capacity

Rated Input Power	1,800 W
No-load Speed	4,050 rpm
Blade Size	305 mm
Mitre Setting	52° L/60° R
Bevel Setting	47° L/47° R
Cutting Capacity, 0°	105 x 340 mm
Cutting Capacity, 45° Mitre	105 x 245 mm
Cutting Capacity, 45° Bevel	340 mm
Weight	21.4 kg

Multi-cutter

PRO GOP 30-28

06012370L0

HEAVY DUTY



RSP: RM879

Capacity

Rated Input Power	300 W
No-load Rotation	8,000–20,000 opm
Oscillation Angle on Left & Right	1.4°
Weight	1.5 kg

Nibble

PRO GNA 2.0

0601530103

HEAVY DUTY



RSP: RM2,909

Capacity

Rated Input Power	500 W
No-load Stroke Rate	2400 spm
Cutting Capacity in Aluminium (200 N/mm²), Max.	2.5 mm
Cutting Capacity in Steel (400 N/mm²), Max.	2 mm
Cutting Capacity in Steel (600 N/mm²), Max.	1.4 mm
Cutting Capacity in Steel (800 N/mm²), Max.	1 mm
Smallest Radius	3 mm
Weight	2.1 kg



Palm Router

PRO GKF 550

06016A00L0



RSP: RM349

Capacity

Rated Input Power	550 W
No-load Speed	33,000 rpm
Bit Size	6 mm/1/4"
Weight	1.4 kg

Planer

PRO GHO 16-82

06015962L0



NEW!

RSP: RM369

Capacity

Rated Input Power	600 W
No-load Speed	16,500 rpm
Planing Width	82 mm
Planing Depth	0–1.6 mm
Weight	2.9 kg

PRO GHO 6500

06015960L0



RSP: RM389

Capacity

Rated Input Power	650 W
No-load Speed	16,500 rpm
Adjustable Chip Thickness	0–2.6 mm
Adjustable Rebating Depth	0–9 mm
Weight	2.8 kg





PRO **GPX9-125 S** 06013B10L0

Powerful polisher for efficient and high-quality polishing tasks



RSP: RM839



EXCEPTIONAL POLISHING PERFORMANCE

Thanks to the 900 W power input, 15 mm orbital diameter, and 6 speed modes.

LOW FATIGUE DURING LONG HOURS

The tool weighs only 2.5 kg and emits minimal vibrations.

EASY AND COMFORTABLE TO USE

Due to the tool's ergonomic shape and mushroom handle.

COMFORTABLE GRIP AND CONTROL

Ergonomic design with a mushroom handle for optimal handling.

EXCELLENT CONTROL AND VERSATILITY

Provided by the 6 speed modes and progressive trigger.

GREAT USER PROTECTION

Assured by the soft start, restart protection features, and the metal dust net.

GPX9-125 S	Unit	Specifications
Rated Input Power	W	900
No-load Speed	rpm	2,500–5,000
Orbit Ø	mm	15
Polishing Sponge, Ø	mm	130
Main Handle		Barrel
Weight	kg	2.5

Polisher

PRO **GPO 11-180 S**

06013A23L0



RSP: RM539

Capacity

Rated Input Power	1,100 W
No-load Speed	3,800 rpm
Grinding Spindle Thread	M14
Polishing Sponge, Ø	180 mm
Main Handle	Rattail
Weight	2.1 kg

PRO **GPO 14-180 S**

06013892L0



NEW!



RSP: RM1,039

Capacity

Rated Input Power	1,400 W
No-load Speed	3,500 rpm
Grinding Spindle Thread	M14
Rubber Sanding Plate, Ø	150 mm
Polishing Sponge, Ø	180 mm
Main Handle	Rattail
Weight	2.3 kg



Reciprocating Saw

PRO GSA 12-30

06016C70L0



RSP: RM829

Capacity

Rated Input Power	1,250 W
No-load Speed	0–3,000 rpm
Stroke Lengths	30 mm
Cutting Depth in Wood	220 mm
Cutting depth in Steel	20 mm
Saw Blade Change	SDS
Weight	3.7 kg

Router

PRO GOF 130

06016B70L1



RSP: RM619

Capacity

Rated Input Power	1,300 W
No-load Speed	11,000–28,000 rpm
Bit Holder	6–8 mm
Plunge Depth	55 mm
Weight	3.5 kg

PRO GOF 20-12

06016272L0

HEAVY DUTY



NEW!



RSP: RM929

Capacity

Rated Input Power	2,000 W
No-load Speed	10,000–25,000 rpm
Collet Size	1/2" / 1/4" / 8 mm / 12 mm
Fine Adjustment	16 mm
Weight	6.3 kg

Rubber Cutter

PRO GSG 300

0601575103

HEAVY DUTY



RSP: RM3,109

Capacity

Rated Input Power	350 W
No-load Stroke Rate	3,500 spm
Cutting Capacity	300 mm
Weight	1.6 kg



Belt Sander

PRO GBS 750

06012C10L0

HEAVY DUTY



RSP: RM539

Capacity

Rated Input Power	850 W
No-load Chain Speed	200–420 rpm
Sanding Belt Length	533 mm
Sanding Belt Width	75 mm
Belt Speed Preselection	Stepless
Weight	3.6 kg

Orbital Sander

PRO GSS 20-18

06010701L0



RSP: RM309

Capacity

Rated Input Power	200 W
No-load Speed	12,000–12,000 rpm
No-load Orbital Stroke Rate	24,000–24,000 opm
Orbit Ø	2 mm
Dust Collection	Yes
Weight	1.5 kg

PRO GSS 20-18 A

06010701L1



RSP: RM339

Capacity

Rated Input Power	200 W
No-load Speed	8,000–12,000 rpm
No-load Orbital Stroke Rate	16,000–24,000 opm
Orbit Ø	2 mm
Dust Collection	Yes
Weight	1.6 kg

PRO GSS 140 (Gen 2)

06012A80L1



RSP: RM199

Capacity

Rated Input Power	220 W
No-load Speed	14,000–14,000 rpm
No-load Orbital Stroke Rate	28,000–28,000 opm
Orbit Ø	1.5 mm
Weight	1.1 kg



Orbital Sander

PRO GSS 140 A

06012A80L2



RSP: RM229

Capacity

Rated Input Power	220 W
No-load Speed	14,000–14,000 rpm
No-load Orbital Stroke Rate	28,000–28,000 opm
Orbit Ø	1.5 mm
Weight	1.1 kg



Random Orbital Sander

PRO GEX 125 - 1A

06013870L0

HEAVY DUTY



RSP: RM579

Capacity

Rated Input Power	250 W
No-load Speed	12,000 rpm
No-load Orbital Stroke Rate	24,000 opm
Orbit Ø	2.5 mm
Sanding Pad Ø	125 mm
Eccentricity	1.25 mm
Weight	1.3 kg

PRO GEX 125 - 1AE

06013875L0

HEAVY DUTY



RSP: RM629

Capacity

Rated Input Power	250 W
No-load Speed	7,500–12,000 rpm
No-load Orbital Stroke Rate	15,000–24,000 opm
Orbit Ø	2.5 mm
Sanding Pad Ø	125 mm
Eccentricity	1.25 mm
Weight	1.3 kg

PRO GEX 125

06013A80L0



RSP: RM319

Capacity

Rated Input Power	280 W
No-load Speed	7,500–12,000 rpm
No-load Orbital Stroke Rate	15,000–24,000 opm
Orbit Ø	2.6 mm
Sanding Pad Ø	125 mm
Eccentricity	1.3 mm
Weight	1.4 kg

Wall Sander

PRO GTR 550

06017D40L0



RSP: RM1,539

Capacity

Rated Input Power	550 W
No-load Speed	340–910 rpm
Sanding Sheet Ø	225 mm
Standard Length	1.7 m
Short Length	1.1 m
Maximum Length	2.3 m
Standard Length Weight	4.8 kg
Short Length Weight	4.1 kg

Stirrer

PRO GRW 12 E

06011A7070

HEAVY DUTY



RSP: RM2,369

Capacity

Rated Input Power	1,200 W
No-load Speed	1,000 rpm
Rated Speed	0–620 rpm
Max Paddle Ø	140 mm
Tool Holder	M14
Weight	5.3 kg

PRO GRW 140

06011C40L0



RSP: RM559

Capacity

Rated Input Power	1,400 W
No-load Speed	480/750 rpm
Max. Stirrer Basket Ø	140 mm
Tool Holder	M14
Weight	4.2 kg

Straight Grinder

PRO GGS 5 LS

06012242L0



RSP: RM479

NEW!

Capacity

Rated Input Power	550 W
No-load Speed	7,000–32,000 rpm
Max. Collet Ø	6 mm, 1/4", 3 mm
Switch	Lockable Switch
Weight	1.6 kg

PRO GGS 28 C

0601220070



HEAVY DUTY



RSP: RM879

Capacity

Rated Input Power	600 W
No-load Speed	30,000 rpm
Max. Collet Ø	8 mm
Switch	Lockable Switch
Weight	1.4 kg

PRO GGS 30 S

06012B51L0



HEAVY DUTY



RSP: RM669

NEW!

Capacity

Rated Input Power	750 W
No-load Speed	7,000–33,000 rpm
Max. Collet Ø	6 mm, 1/4", 3 mm, 8 mm
Switch	Lockable Switch
Weight	1.5 kg

PRO GGS 30 LS

06012B50L0



HEAVY DUTY



RSP: RM729

Capacity

Rated Input Power	750 W
No-load Speed	7,000–33,000 rpm
Max. Collet Ø	6 mm, 1/4", 3 mm, 8 mm
Switch	Lockable Switch
Weight	1.7 kg

PRO GGS 30 LPS

06012B52L0



HEAVY DUTY



RSP: RM739

Capacity

Rated Input Power	750 W
No-load Speed	7,000–33,000 rpm
Max. Collet Ø	6 mm, 1/4", 3 mm, 8 mm
Switch	PROtection Switch
Weight	1.8 kg



Table Saw

PRO GTS 254 c/w stand

0601B450L0



RSP: RM1,259

Capacity

Rated Input Power	1,800 W
No-load Speed	4,300 rpm
Saw Blade Ø	254 mm
Saw Blade Bore Ø	30 mm
Incline Setting	45° L/0° R
Cutting Height 90°	80 mm
Cutting Height 45°	55 mm
Table Size	555 x 555 mm
Weight	24.4 kg



PRO GTS 100-254 (compatible to GTA700 stand)

0601B307L0



HEAVY DUTY

RSP: RM2,999

NEW!

Capacity

Rated Input Power	2,200 W
No-load Speed	4,500 rpm
Saw Blade Ø	254 mm
Saw Blade Bore Ø	30 mm
Incline Setting	47° L/-2° R
Cutting Height 90°	100 mm
Cutting Height 45°	68 mm
Table Size	713 x 579 mm
Weight	28.7 kg



Vacuum

PRO GAS12-25LS

06019S31L0



HEAVY DUTY

NEW!

RSP: RM999

Capacity

Rated Input Power	1,200 W
Container Volume, Net	20 l
Container Volume, Gross	25 l
Container Volume, Net, Water	18 l
Dust Class of Wet/Dry Extractor	L
Airflow Rate (Turbine)	65 l/s
Vacuum Pressure (Turbine)	210 mbar
Filter Cleaning System	SFC
Weight	9.4 kg



PRO GAS 400 A

06019M00L0



HEAVY DUTY

RSP: RM2,419

Capacity

Rated Input Power	1,200 W
Container Volume, Net	28 l
Container Volume, Gross	40 l
Container Volume, Net, Water	20 l
Dust Class of Wet/Dry Extractor	L
Airflow Rate (Turbine)	71.5 l/s
Vacuum Pressure (Turbine)	230 mbar
Filter Cleaning System	AFC
Weight	14 kg





Dust Free Solution

Dust is on every jobsite, yet its harmful effects are often underestimated. Many professionals consider it 'part of the job', but it doesn't have to be that way. Dust control matters for your health as well as compliance with regulations. And with Bosch Professional, it's now easier than before.

 GDE 180-CG 1600A033ZB Toolless clip-on dust attachment for cutting with 180mm angle grinders Compatible with: GWS 18V-180 P; GWS 18V-180 PC; GWS 14-180 – GWS 30-180; GWS 2000-180; GWS 2200-180 RSP: RM199	 Dust Attachment 1600A00D6H Simple clip-on dust collection cover for dust-free drilling Compatible with: 2-4 kg and 18 V or 36 V Bosch SDS plus rotary hammers RSP: RM48	 GDE 24 1600A01M9V Basic dust extraction cap RSP: RM48	 GDE 68 1600A001G7 The practical, multipurpose dust extraction for large drilling diameters Compatible with: All drilling tools RSP: RM139	 GDE 162 1600A001G8 The practical and universal dust guard for core drilling of up to 162 mm diameters Compatible with: All drilling tools RSP: RM189
--	---	---	---	--

 GDE 16 Plus 1600A0015Z Dust guard for virtually dust-free SDS plus drilling Compatible with: All 2 and 3 kg Bosch SDS plus hammers with 50 mm collar RSP: RM259	 GDE 18V-16 1600A0051M Cordless dust extractor for drilling with various Bosch rotary hammers Compatible with: GBH 18V-24 C, GBH 18V-26, GBH 18V-26 F, GBH 18V-28 C, GBH 18V-28 CF RSP: RM479	 GDE 12 1600A02BW0 Optimum dust management system for drilling Compatible with: GBH 185 RSP: RM369	 Protection Guard 2608000629 Protection guard for grinding dust, vacuum attachment Compatible with: 4-inches Grinder RSP: RM169
---	--	--	--



MEASURING TOOLS

Bosch Professional



LASER LEVELS

PRO GPL 3 G

0601066N00
Point Laser



RSP: RM688

Capacity

Working Range	Up to 30 m
Accuracy	± 0.35 mm/m (except bottom laser point);
Self-levelling Range	± 0.7 mm/m (bottom laser point)

PRO GPL 5 G

0601066P00
Line Laser




RSP: RM1,155

Capacity

Working Range	Up to 30m
Accuracy	± 0.35 mm/m (except bottom laser point);
Self-levelling Range	± 0.7 mm/m (bottom laser point)
	± 4°

PRO GCL 15-12 XG

0601066TK0
Combi Laser



RSP: RM847

Capacity

Working Range	Up to 15m
Accuracy	± 0.4 mm/m
Self-levelling Range	± 4°

PRO GCL 2-15 G

0601066J00
Combi Laser



RSP: RM1,000

Capacity

Working Range	Up to 10m
Accuracy	± 0.3 mm/m
Self-levelling Range	± 4°

PRO GLL 50 G

06010653K0
Line Laser



RSP: RM529

Capacity

Working Range	Up to 15m
Accuracy	± 0.6 mm/m
Self-levelling Range	± 3°

PRO GLL 50-15 XG + BT 150-5/8

06010657K1
Line Laser



RSP: RM816

Capacity

Working Range with Receiver	Up to 50 m
Accuracy	Horizontal laser line: ± 0.2 mm/m ;
	Vertical laser lines: ± 0.3 mm/m
Self-levelling Range	± 3°

PRO GLL 3-80

0601063S00
Line Laser




RSP: RM2,437

Capacity

Working Range with Receiver	Up to 120 m (radius)
Accuracy	± 0.3 mm/m
Self-levelling Range	± 4°

PRO GLL 90-33 XG

06010655K0
Line Laser



NEW!

RSP: RM2,225

Capacity

Working Range with Receiver	Up to 90 m (radius)
Accuracy	± 0.3 mm/m
Self-levelling Range	± 4°

PRO GLL 100-33 CG

06010654K0
Line Laser



NEW!

RSP: RM2,543

Capacity

Working Range with Receiver	Up to 100 m (radius)
Accuracy	± 0.3 mm/m
Self-levelling Range	± 4°

PRO GLL 18V-120-33 CG

06010651K0
Line Laser



RSP: RM3,391

Capacity

Working Range with Receiver	Up to 120 m (radius)
Accuracy	± 0.3 mm/m
Self-levelling Range	± 4°

**PRO GRL 350 HV**

0601061S40
Rotation Laser



RSP: RM4,557

Capacity

Working Range with Receiver	350 m (diameter)
Accuracy	± 1.5 mm at 30 m horizontal, ± 3.0 mm at 30 m vertical
Self-levelling Range	± 5° (8%)

PRO GRL 300 HVG

0601061703
Rotation Laser



RSP: RM5,000


Capacity

Working Range, Value	300 m (diameter)
Accuracy	± 3.0 mm at 30 m
Self-levelling Range	± 5° (8%)

OPTICAL LEVELS & BUILDING TRIPOD

PRO GOL 26 D

0601068000
Optical Level



RSP: RM1,165

Capacity

Unit of Measure	360 degrees
Magnification	26 x
Accuracy	± 1.6 mm at 30 m

PRO GOL 32 D

0601068500
Optical Level



RSP: RM1,377

Capacity

Unit of Measure	360 degrees
Magnification	32 x
Accuracy	± 1.0 mm at 30 m

PRO BT 150 5/8"

0601096C80
Building Tripod



RSP: RM148

Capacity

Work Height	52 cm
Max. Work Height with Extension Tube	154 cm
Weight, Approx.	1.1 kg

PRO BT 150

0601096B00
Building Tripod



RSP: RM148

Capacity

Work Height	55 – 157 cm
Weight, Approx.	1.3 kg

PRO BT 160

0601091200
Building Tripod



RSP: RM360

Capacity

Work Height	97 – 160 cm
Weight, Approx.	4.1 kg

PRO BT 250

0601096A00
Building Tripod



RSP: RM360

Capacity


Work Height	97.5 – 250 cm
Weight, Approx.	3.4 kg

RECEIVER & ACCESSORY



PRO LR 6

0601069H00
Laser Receiver




RSP: RM286

Capacity

Power Supply	2 x 1.5 V LR03 (AAA)
Dust and Splash Protection	IP54
Weight, Approx.	0.12 kg

PRO LR 1G

0601069700
Laser Receiver



RSP: RM837

Capacity

Power Supply	1 x 9 V 6LR61 Block
Dust and Splash Protection	IP 65
Weight, Approx.	0.25 kg

PRO RC 1

0601069900
Remote Control




RSP: RM275

Capacity

Power Supply	1 x 1.5 V LR6 (AA)
Range, up to	30 m
Weight, Approx.	0.070 kg

PRO LR 7

0601069J00
Laser Receiver



RSP: RM445

Capacity

Power Supply	2 x 1.5 V LR6 (AA)
Dust and Splash Protection	IP54
Weight, Approx.	0.15 kg

PRO Bracket for LR 1, LR 1G, LR 2

1608M0070F
Accessory



RSP: RM148

Capacity

Suitable for	LR 1, LR 1G, LR 2 Professional
--------------	--------------------------------

PRO Bracket for LR 6, LR 7

1608M00C1L
Accessory



RSP: RM84

Capacity

Suitable for	LR 6, LR 7
Weight, Approx.	0.15 kg

PRO BM 1


0601015A01
Universal Mount

**RSP: RM264****Capacity**

Suitable for	Bosch Line and Combi Lasers with 1/4" tripod thread
Weight, Approx.	0.5 kg

PRO BA 3.7V 1.0Ah A

1608M00C5D
Battery Pack

**RSP: RM137****Capacity**

Battery Capacity	1 Ah
USB Charging Connection	USB-C®
Weight, Approx.	0.03 kg

MEASURING RODS & LASER MEASURE

PRO GR 240

0601094100
Measuring Rod

**RSP: RM328****Capacity**

Length	2.4 m
Sections	2
Units of Measurement	m/cm

PRO GR 500

0601094600
Measuring Rod

**RSP: RM286****Capacity**

Length	5 m
Sections	5
Units of Measurement	m/cm

PRO GLM 30-23

0601072XX0
Laser Measure

**RSP: RM233****Capacity**

Measurement Range	0.150 – 30.000 m
Laser Diode	635 nm, < 1 mW
Weight, Approx.	0.09 kg

PRO GLM 40-12

06010729K1
Laser Measure

**RSP: RM264****Capacity**

Measurement Range	0,150 – 40,000 m
Laser Diode	635 nm, < 1 mW
Weight, Approx.	0.09 kg

PRO GLM 400

0601072RK0
Laser Measure



RSP: RM508

Capacity

Measurement Range	0.050 – 40.000 m
Laser Diode	635 nm, < 1 mW
Weight, Approx.	0.1 kg

PRO GLM50-21

06010753K0
Laser Measure



NEW!

RSP:RM264

Capacity

Measurement Range	0.150 – 50.000 m
Laser Diode	635 nm, < 1 mW
Weight, Approx.	0.16 kg

PRO GLM 50-23 G

0601072VK0
Laser Measure



RSP:RM805

Capacity

Measurement Range	0.050 – 50.000 m
Laser Diode	515 nm, < 1 mW
Weight, Approx.	0.2 kg

PRO GLM 50-27 CG

0601072UK0
Laser Measure



RSP:RM922

Capacity

Measurement Range	0.050 – 50.000 m
Laser Diode	515 nm, < 1 mW
Weight, Approx.	0.2 kg

PRO GLM 100-25 C

0601072YK0
Laser Measure



RSP: RM1,218

Capacity

Measurement Range	0.080 – 100.000 m
Laser Diode	650 nm, < 1 mW
Weight, Approx.	0.23 kg

PRO GLM 150 C

0601072FK0
Laser Measure



RSP:RM1,483

Capacity

Measurement Range	0.080 – 150.000 m
Laser Diode	650 nm, < 1 mW
Weight, Approx.	0.23 kg

PRO GWM29-11

06010740F0
Measuring Wheel



NEW!

RSP:RM308

Capacity

Maximum Measured Value	9999.9 m
Laser Diode	650 nm, < 1 mW
Weight, Approx.	0.23 kg



INCLINOMETER, ANGLE MEASURER & INSPECTION CAMERA



PRO GIM 60 L

0601076900
Digital Inclinometer



RSP: RM1,165

Capacity

Length	60 cm
Measurement Range	0° – 360° (4 x 90°)
Electronics Measurement Accuracy 0°/90°	± 0.05°

PRO GIM 120

0601076800
Digital Inclinometer



RSP: RM1,303

Capacity

Length	360 degrees
Measurement Range	32 x
Electronics Measurement Accuracy 0°/90°	± 1.0 mm at 30 m

PRO GAM 220

0601076500
Angle Measurer



RSP: RM922

Capacity

Arm Length	40 cm
Measurement Range	0° - 220°
Measurement Accuracy, Angles	± 0.1°



PRO GIC 4-23 C

06012415K0
Inspection Camera



RSP: RM1,409

Capacity

Display Size	4.3 "
Length of Camera Cable	150 cm
Documentation Via	Photo

PRO GIC 5-27 C

06012414K0
Inspection Camera



RSP: RM1,833

Capacity

Display Size	5 "
Length of Camera Cable	150 cm
Documentation Via	Picture, Video

METAL DETECTOR & ELECTRICAL TESTER



PRO GMS 120-27

06010817K0
Detector



RSP: RM582

Capacity

Max. Detection Depth	120 mm
Bosch Radar Technology	No
Detectable Objects	Live cables, magnetic metals, non-magnetic metals, wooden substructures

PRO D-tect 120

06010813K0
Detector



RSP: RM1,165

Capacity

Max. Detection Depth	120 mm
Bosch Radar Technology	Yes
Detectable Objects	Magnetic metals, non-magnetic metals, waterfilled plastic pipes, wooden substructures, live cables, non-live cables

PRO GVD 1000-17

06010770K0
Non-contact Voltage Tester



RSP: RM148

Capacity

AC Voltage	1,000 V
IP-Protection	IP67
Display Type	LED

PRO GFM 1000-15

0601077400
Fork Meter



RSP: RM965

Capacity

AC Voltage	1,000 V
IP-Protection	IP54
Display Type	LCD Inverted

PRO GDM 600-15

0601077300
Digital Multimeter



RSP: RM668

Capacity

AC Voltage	600 V
IP-Protection	IP65
Display Type	LCD Inverted

PRO GMC 600-15

0601077600
Clamp Meter



RSP: RM573

Capacity

AC Voltage	600 V
IP-Protection	IP54
Display Type	LCD Inverted

MOISTURE METER/ THERMO CAMERA

PRO GMP 2-15

06010781K0
Material Moisture Meter



NEW!


RSP: RM593

Capacity

Dust and Splash Protection	IP65
Display Type	TFT LCD
Weight	0.19 kg

PRO GTC 400 C

0601083150
Thermo Camera



RSP: RM6,677

Capacity

Measurement Range	-10 °C to +400 °C
Measuring Accuracy of IR	± 3.0 °C
Resolution	0.1 °C

PRO GTC 450-13

06010839K0
Thermo Camera



NEW!

RSP: RM5,193

Capacity

Measurement Range	-20 °C to +450 °C
Measuring Accuracy of IR	± 2.0 °C
Resolution	0.1 °C

PRO GTC 600 C

06010835K1
Thermo Camera




RSP: RM7,101

Capacity

Measurement Range	-20 °C to +600 °C
Measuring Accuracy of IR	± 2.0 °C
Resolution	0.1 °C

PRO GIS 500

0601083480
Thermo Detector



RSP: RM349

Capacity

Measuring Range	-30 °C to +500 °C
Measuring Accuracy of IR	± 1.8 °C
Optics	12:1

PRO GIS800-16

0601083BK0
Thermo Detector



NEW!


RSP: RM1,262

Capacity

Measurement Range	-40 °C to +800 °C
Measuring Accuracy of IR	± 1.5 °C
Optics	20:1

PRO GIS 1000 C

06010833K1
Thermo Detector



RSP: RM1,695

Capacity

Measurement Range	-40 °C to +1000 °C
Measuring Accuracy of IR	± 1.0 °C
Optics	50:1

UPGRADE YOURSELF

Staying on top of projects can be a challenge for even the best multitaskers. Now, you can say goodbye to scraps of paper, rifling through files for plans and measurements, or inconvenient adjustment of levelling tools. The Bosch apps are helpful, easy to use and make your work easier and more precise.





MeasureOn



With the MeasureOn app, you can set up and name individual projects and workspaces and then file your plans, sketches photos, measurements, and calculations where you will easily find them again. From the very start of a project, the MeasureOn app is a must-have. Sketch room plans on screen with your finger and then add measurements by transferring them directly via Bluetooth® from your Bosch laser measure. Exact measured values will give your rough sketch a precise visualization and can be used automatically to calculate floor and wall areas as well as room perimeters. You also save valuable project management time because you can share documents quickly with colleagues or customers. And whether you are on site, on the road, or back in the office, your saved data is synchronized and always available for you to access 24/7 from your device of choice.*



ThermalOn



If you're a window installer, heating engineer, or electrician, then the ThermalOn app is a great choice for helping you to stay organized. You can transfer images and measurements, which you captured with your Bosch thermal imaging camera or infrared thermometer, to the app and save the data in individual projects. Match up thermal images with real images or locate spot measurements in a photo of the jobsite. Add markers, notes, and audio notes to project data. With this handy app, all your project info is in one place and suitably indexed.



Levelling Remote



With the Bosch Leveling Remote app, you can operate the combi, line and rotary lasers hands-free, switch laser on or off, change the brightness of the lines, set up dual slopes and more. Controlling the tool via the app ensures that you do not accidentally nudge it out of place when you touch it.

Since you can also easily use the app by yourself, it also saves you the cost of finding another person to help you.

*Cloud services only available in selected countries.



OUTDOOR & GARDENING

Bosch Professional

PRO GKE 18V-25 TP (Solo)

06008D6000
Cordless Pole Saw




RSP: RM1,419

Capacity

Cutter, Length	230 mm
Battery Recommendation	>=5.5Ah
Chain Pitch	.325" (8.25 mm)
Chain Speed	7.7 m/s
Chain Gauge	1.1 mm

PRO GHE 18V-50 TP (Solo)

06008D5000
Cordless Telescopic Hedgecutter



RSP: RM1,419

Capacity

Battery Voltage	18.0 V
Blade Length	50 cm
Battery Recommendation	>=4.0Ah
Cutting Speed	1,700 rpm
Stroke Rate at No Load Nominal	3,400 spm
Weight excl. Battery	4.5 kg

PRO GKE 18V-20 (Solo)

06008D7100
Cordless Pruner Saw




RSP: RM849

Capacity

Battery Recommendation	>=4.0Ah
Chain Pitch 3/8"	(9.52 mm)
Chain Speed	7.2 m/s
Chain Gauge	1.1 mm

PRO GKE 18V-40 (Solo)

06008D3000
Chainsaw



RSP: RM1,689

Capacity

Battery Recommendation	>=5.5Ah
Chain Pitch	.325" (8.25 mm)
Chain Speed	12.4 m/s
Chain Gauge	1.1 mm

PRO GHE 18V-60 (Solo)

06008C9000
Cordless Hedgecutter



RSP: RM1,029

Capacity

Battery Voltage	18.0 V
Blade Length	60 cm
Tooth Opening	23 mm
Battery Recommendation	>=4.0Ah
Cutting Speed	1,500 rpm
Stroke Rate at No Load Nominal	3,000 spm
Weight excl. Battery	3 kg

PRO GRA 18V2-46 (Solo)

06008C8000
Cordless Lawnmower



RSP: RM2,329

Capacity

Cutting Width	46 cm
Battery Voltage, Works with	2 x 18.0 V
Battery Recommendation	>=5.5Ah
Height-of-cut Range	30 – 70 mm
Height-of-cut Settings	6
Collection Box Capacity	60 l



PRO GFR 18V-23 (Solo)

06008D1000
Cordless Brushcutter



RSP: RM1,279

Capacity

Battery Voltage	18.0 V
Line Ø	2.4 mm
Battery Recommendation	>=4.0Ah
Cutting System	3-tooth Blade, Pro Tap
Cutting Ø Line	33 cm
Cutting Ø Blade	23 cm
Main Handle Type	D-Shape
Weight excl. Battery	3.6 kg

PRO GRT 18V-33 (Solo)

06008D0000
Cordless Grass Trimmer



RSP: RM1,179

Capacity

Battery Voltage	18.0 V
Line Ø	2.4 mm
Battery Recommendation	>=4.0Ah
Cutting System	Pro Tap
Cutting Ø Line	33 cm
Main Handle Type	D-Shape
Weight excl. Battery	3.5 kg

PRO GBL 18V-750 (Solo)

06008D20K0
Cordless Leaf Blower



RSP: RM849

Capacity

Battery Voltage	18.0 V
Max. Air Speed	198 km/h
Max. Airflow	780 m³/h
Battery Recommendation	>=5.5Ah
Weight excl. Battery	2.8 kg

PRO Pruner 12V

06019K10L1
Cordless Secateur



RSP: RM959

Capacity

Battery Voltage	12.0 V
Battery Capacity	2 Ah
Max. Cutting Capacity in Wood (Tree Branch)	25 mm
Weight excl. Battery	0.83 kg



Accessories



Replacement Line 24M 2.4mm

(Compatible with GRT 18V-33/GFR 18V-23)
F016800628

RSP: RM39



Brushcutter Blade 23cm

(Compatible with GRT 18V-33/GFR 18V-23)
F016800629

RSP: RM99



Brushcutter Blade Set 23cm

(Compatible with GRT 18V-33/GFR 18V-23)
F016800631

RSP: RM149



Lubricating Oil 1L Chain Oil

F016800642

RSP: RM109



15cm Saw Chain (1.1mm, 3.8")

F016800662

RSP: RM169



20cm Saw Chain (1.1mm, 3.8")

F016800672

RSP: RM179





Pressure Washer

EASY

Easy Aquatak 100

06008A7EL0



RSP: RM459

Capacity	
Pressure	100 bar
Flow Rate	300 l/h
Motor Power	1,100 W
Max. Pressure	100 bar
Max. Temperature	40°C
Voltage	220/240 V
Frequency	50/60 Hz
Weight	3.0 kg
Hose	3 m
Self-priming Capable	Yes

Accessories Inside Package

- Bosch 360 Gun
- High Pressure Detergent Nozzle (350ml)
- 3m Hose



Easy Aquatak 100 Long Lance

06008A7EL1



RSP: RM469

Capacity	
Pressure	100 bar
Flow Rate	300 l/h
Motor Power	1,100 W
Max. Pressure	100 bar
Max. Temperature	40°C
Voltage	220/240 V
Frequency	50/60 Hz
Weight	3.8 kg
Hose	3 m
Self-priming Capable	Yes

Accessories Inside Package

- Bosch High Pressure Gun
- Lance
- High Pressure Hose 3m
- Variable Fan Jet Nozzle



Easy Aquatak 110

06008A7FL0




RSP: RM509

Capacity	
Pressure	100 bar
Flow Rate	330 l/h
Motor Power	1,300 W
Max. Pressure	110 bar
Max. Temperature	40°C
Voltage	220/240 V
Frequency	50/60 Hz
Weight	3.8 kg
Hose	3 m
Self-priming Capable	Yes

Accessories Inside Package

- Rotary Nozzle
- Variable Nozzle
- High Pressure Detergent Nozzle (450ml)
- Water Filter
- High Pressure Gun
- Lance
- High Pressure Hose 3m



Pressure Washer

UNIVERSAL

Universal Aquatak 125

06008A7AL0



RSP: RM839

Capacity	
Pressure	125 bar
Flow Rate	360 l/h
Motor Power	1,500 W
Max. Pressure	125 bar
Max. Temperature	40°C
Voltage	220/240 V
Frequency	50/60 Hz
Weight	6.8 kg
Hose	5 m
Self-priming Capable	Yes

Accessories Inside Package

- Trio Nozzle
- Clear New Water Filter
- High Pressure Detergent Nozzle (450ml)
- Bosch Gun
- Standard Lance
- High Pressure Hose 5m



Universal Aquatak 130

06008A7BL0



RSP: RM1,069

Capacity	
Pressure	130 bar
Flow Rate	380 l/h
Motor Power	1,700 W
Max. Pressure	130 bar
Max. Temperature	40°C
Voltage	220/240 V
Frequency	50/60 Hz
Weight	7.8 kg
Hose	6 m
Self-priming Capable	Yes

Accessories Inside Package

- Trio Nozzle
- Rotary Nozzle
- Water Filter
- High Pressure Detergent Nozzle (450ml)
- Bosch Gun
- Standard Lance
- High Pressure Hose 6m



Pressure Washer

ADVANCED (Induction motor)

Advanced Aquatak 140

06008A7DL0



RSP: RM1,799

Capacity	
Pressure	140 bar
Flow Rate	450 l/h
Motor Power	2,100 W
Max. Pressure	140 bar
Max. Temperature	40°C
Voltage	220/240 V
Frequency	50/60 Hz
Weight	17.6 kg
Hose	8 m
Self-priming Capable	Yes

Accessories Inside Package

- High Pressure Detergent Nozzle (550ml)
- Water Filter
- Bosch Gun
- Variable Fan Jet
- Rotary Nozzle
- Standard Lance
- 8m PU High Pressure Hose

Advanced Aquatak 150

06008A77L0



RSP: RM2,599

Capacity	
Pressure	150 bar
Flow Rate	500 l/h
Motor Power	2,200 W
Max. Pressure	150 bar
Max. Temperature	40°C
Voltage	220/240 V
Frequency	50/60 Hz
Weight	22.5 kg
Hose	8 m
Self-priming Capable	Yes

Accessories Inside Package

- High Pressure Detergent Nozzle (550ml)
- 60° Fixed Fan Jet Nozzle
- Variable Fan Jet Lance
- Standard Lance
- Hose 8m (Steel armed)
- Cable 5m
- Bosch Gun
- High Pressure Hose Reel
- Roto Lance

High Pressure Cleaner Accessories



Rotary Nozzle

Compatible with:
EA100LL, EA110, UA125, UA130, AA140

F016800580

RSP: RM79



90° Nozzle

Compatible with:
EA100LL, EA110, UA125, UA130, AA140, AA150

F016800581

RSP: RM79



Variable Fan Jet Nozzle

Compatible with:
EA100LL, EA110, UA125, UA130, AA140, AA150

F016800582

RSP: RM79



Trio Nozzle

Compatible with:
EA100LL, EA110, UA125, UA130

F016800583

RSP: RM89



Self Priming Kit

Compatible with:
EasyAquatak, UniversalAquatak, AdvancedAquatak

F016800421

RSP: RM109



Extension Hose – 6m (135 bar)

Compatible with:
EA100, EA100LL, EA110, UA125, UA130

F016800361

RSP: RM89



Drain Cleaner – 10m (130 bar)

Compatible with:
EA100LL, EA110, UA125, UA130

F016800362

RSP: RM149



High Pressure Hose – 6m

Compatible with:
EA100, EA100LL, EA110, UA125, UA130

F016800360

RSP: RM89



Wash Brush

Compatible with:
EA100LL, EA110, UA125, UA130, AA140, AA150

F016800359

RSP: RM39



Water Filter

Compatible with:
EasyAquatak, UniversalAquatak, AdvancedAquatak

F016800577

RSP: RM29



Adapter for Karcher Accessories

Compatible with:
EA100LL, EA110, UA125, UA130, AA140, AA150

F016800575

RSP: RM109



Suction Nozzle

Compatible with:
EA100LL, EA110, UA125, UA130, AA140, AA150

F016800356

RSP: RM139



360° Gun

Compatible with:
EA100LL, EA110, UA125, UA130

F016800536

RSP: RM139



High Pressure Detergent Nozzle

Compatible with:
EA100LL, EA110, UA125, UA130

F016800509

RSP: RM89



AquaSurf 250 Patio Cleaner

Compatible with:
EA100LL, EA110, UA125, UA130

F016800486

RSP: RM169



Home and Car Kit Set includes:

90° nozzle, Wash brush & Patio cleaner

Compatible with:
EA100LL, EA110, UA125, UA130

F016800611

RSP: RM259



360° Cleaning Kit Set includes:

360° high-pressure gun, Micro-fibre cloth
& 6m high-pressure hose

Compatible with:
EA100LL, EA110, UA125, UA130

F016800612

RSP: RM219



Car Cleaning Kit Set includes:

90° nozzle, Wash brush, Micro-fibre cloth
& 6m high-pressure hose

Compatible with:
EA100LL, EA110, UA125, UA130

F016800572

RSP: RM169



Roto Fan Lance (150 bar)

Compatible with:
AA140, AA150

F016800418

RSP: RM109



Variable Fan Lance (150 bar)

Compatible with:
AA140, AA150

F016800417


RSP: RM109

LAWNCARE PRODUCTS

Corded Rotary Mower

EasyRotak 32-225

06008A6372



NEW!

RSP: RM659

Capacity

Power Source	1,200 W
Width of Cut	32 cm
Height of Cut	25–65 mm
Grass Box Capacity	31 l
Weight	9.7 kg

Corded Grass Trimmer

EasyGrassCut 23

06008C1H71




Cutting Line Spool
4.5m (1.6mm)
F016800569
RSP: RM49

RSP: RM239

Capacity

Power Motor	280 W
Cutting Ø (Line)	23 cm
Cutting Line Thickness	1.6 mm
Cutting Line System	Semi-Automatic
Weight	1.9 kg



HOME TOOLS



Workbench

PWB 600

0603B05200



RSP: RM799

Capacity

Weight	11.6 kg
Load Bearing Capacity, Max.	200 kg
Height of Work Bench	834 mm
Width of Work Bench	680 mm
Length of Work Bench	680mm

Air Pump

EasyPump

0603947080



RSP: RM339

Capacity

Weight	0.43 kg
Tool Dimensions (Length)	49.2 mm
Tool Dimensions (Height)	106 mm
Tool Dimensions (Width)	215 mm
Max. Output Volume	10 l/min
Hose Length	0.24 m
Max. Battery Capacity	3 Ah
Max. Pressure	10.3bar/1030 kPa/150 psi

Head Lamp

Head Lamp

1600A0307X



RSP: RM69

Capacity

Weight	0.58 kg
Lamp Dimensions (Length)	62 mm
Lamp Dimensions (Height)	42 mm
Lamp Dimensions (Width)	46 mm
Brightness	190 lm
Lighting Levels - 3 Modes	High 190 lm, Low 55 lm, Strobe
LED Type	White COB LED
Battery	3 x AAA 1.5V LR03 (not included)
Illumination Type/Distance	Wide/H = 28m L = 14m






Brush

Power Scrubber Universal Brush

06033W0050



RSP: RM299

Capacity

Weight	0.33 kg
Tool Dimensions (Length)	140 mm
Tool Dimensions (Height)	100 mm
Tool Dimensions (Width)	45 mm
No-load Speed	215 rpm
IP Protection Type	IPX5
Battery Capacity	2 Ah

Brush Attachment



Green Kitchen Sour Pad X3

1600A023L0

RSP: RM49



Bristle Brush

1600A023KW

RSP: RM49



Brown Heavy Duty Pad X3

1600A023L1

RSP: RM49



Brush Pad Holder

1600A023KX

RSP: RM49



White Melamine Eraser X3

1600A023L2

RSP: RM49



Brush Detailed Brush

1600A023KY

RSP: RM49



Microfibre Non-Scratch Pad X3

1600A023KZ

RSP: RM49



Cordless Screwdriver

IXO 7

06039E0050



RSP: RM269

Capacity

Weight	0.32 kg
Tool Dimensions (Length)	147 mm
Tool Dimensions (Height)	120 mm
Tool Dimensions (Width)	46 mm
No-load Speed	235 rpm
Max. Torque Soft/Hard	3/5.5 Nm
Battery Capacity	2 Ah
Charging Time	3 h

Cordless Screwdriver Attachment



Angle Screw Adaptor

1600A001Y8

RSP: RM99



Barbecue Blower Adapter

1600A001YC

RSP: RM99



Drilling Adapter

1600A00B9P

RSP: RM99



Off-Set Angle Adapter

1600A001YA

RSP: RM99



Spice Mill Adapter

1600A001YE

RSP: RM99



Torque Setting Adapter

1600A001Y5

RSP: RM99



Universal Cutting Adapter

1600A001YF

RSP: RM99



Corkscrew Adapter

1600A001YD

RSP: RM99



Warranty


This serves to inform you that **all Bosch Power Tools are guaranteed against manufacturing defects for a period of 12 months** from the registered date of purchase (**Bosch Measuring Tools, GHP Range High Pressure Washer, HEAVY DUTY Range Power Tools, Bosch Range Power Tools, Bosch Hot Air Gun, Bosch Batteries and Bosch Charger are entitled to 12 months warranty. Bosch outdoor & garden products: Professional range in blue with 12 months warranty & DIY range in green with 6 months warranty.** For the same defect repair within warranty period, a maximum 3 times warranty repair are allowed for Bosch Power Tools, 2 times for Bosch Measuring Tools and Bosch Home & Garden Tools. This guarantee, however, does not cover damage caused by accident, misuse, unauthorized repairs, tampering, normal wear & tear, additions and modifications made to the tool in any manner. In case of complaint, please send the tool, undismantled together with official proof of purchase, i.e. tax invoice or receipt stated with tool's serial no., to Bosch Power Tools Authorized Service Centre.


Jaminan

Dimaklumkan bahawa tempoh jaminan untuk **Alat-alat Kuasa Bosch akibat kecacatan product semasa pengilangan adalah terhad kepada 12 bulan sahaja** bermula dari tarikh pembelian (**Alat Pengukur Bosch, Siri Pencuci Tekanan Tinggi GHP Bosch, Siri HEAVY DUTY Alat-alat Kuasa Bosch, Alat-alat Kuasa Bosch Range, Alat Pengereng Bosch, Bateri Bosch dan Pengecas Bateri Bosch tempoh jaminannya 12 bulan. Produk luar rumah & taman Bosch: Rangkaian profesional berwarna biru dengan jaminan 12 bulan & rangkaian DIY berwarna hijau dengan jaminan 6 bulan.** Jumlah maksimum pembaikan dalam tempoh jaminan adalah terhad kepada 3 kali sahaja untuk Alat-alat Kuasa Bosch, 2 kali sahaja untuk Alat-alat Pengukur Bosch dan Alat-alat Kuasa Halaman Bosch. Tempoh jaminan ini tidak termasuk kerosakan akibat kemalangan, penyalahgunaan, membaikpulih yang tidak diakui, haus yang sepatut ada dan pengubahsuaian yang mengakibatkan kerosakan Alat-alat Kuasa tersebut. Bagi sebarang pengaduan, sila hantar Alat-alat Kuasa dan tax invois rasmi atau resit rasmi sebagai bukti pembelian yang dilengkapi dengan nombor siri Alat-alat Kuasa ke Pusat Servis Alat-alat Kuasa Bosch Yang Sah.

保证


谨此通知，有关**所有博世电动工具享有为期12个月之生产损坏保证**，有效期由购买登记日算起（**博世测量仪器，博世GHP 高压清洗机系列，博世 HEAVY DUTY系列产品，博世系列电动工具，博世热风机，博世电池及博世充电器享有12个月保证。博世户外与园艺产品：蓝色专业系列享有12个月保修，绿色 DIY 系列享有6个月保修。**在维修保证期间，博世电动工具享有高达三次维修服务，而博世测量仪器及博世家园电动工具则享有两次维修服务。上述保证并不包括有关电动工具因意外、错误使用、非授权维修、正常的磨损、附加及修换或其他方式所造成的损坏及故障。若有任何投诉，请将阁下完整的电功工具和购买税务发票或付款收据及具备电功工具编号交到您的博世电动工具授权维修中心。







Authorized Service Centres



Visit our nearest Authorized Service Centre to service your Bosch Power Tools and to purchase tools spare parts.

Robert Bosch Sdn Bhd (220975-V)

Level 7, Menara Star 2, Pacific Towers, Jalan 13/6, Section 13,
46200 Petaling Jaya, Selangor Darul Ehsan, Malaysia.

Tel: +603 - 7966 3000 Fax: +603 - 7958 3838

www.bosch-pt.com.my

 Bosch Authorized Service Centre

 Bosch Authorized Service Dealer

While all care has been taken to ensure that the information contained in this publication is correct, no responsibility can be accepted for any inaccuracy. The Company reserves the right to alter or modify the information contained herein at any time in light of technical or other developments. Technical specification are valid under normal operating condition only. The company does not accept any responsibility for any misuse of the product and cannot be held liable for consequential damage.

For further enquiries, please contact



Bosch Professional Power Tools and Accessories



Boschptmy



1 800 880 188

Mon - Fri 9am - 6pm